

PHP Mode 0.0.4

A GNU XEmacs mode for editing PHP language

Vincent DEBOUT

Copyright © 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006 Free Software Foundation, Inc.

This manual is free documentation; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2, or (at your option) any later version.

This manual is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License, the file ‘COPYING’, along with PHP Mode. If not, see <http://www.gnu.org/licenses/gpl> or write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301, USA.

1 Introduction

Inspired from [PHP-Mode](#) and from [VHDL-Mode](#), this new PHP Mode combines the advantages of the two modes to simplify the writing of PHP code: highlight, indentation, completion, templates, navigation into the file (functions and class), navigation into source files...

Features (new features in **bold**) :

- Completion
- Customizable
- Highlight
- Indentation
- Menu
- Stuttering
- Templates
 - .NET
 - Apache
 - **APC**
 - Array
 - Control Structures ("declare" function excepted)
 - Date/Time
 - Directory
 - Email
 - Error and Logging
 - Filesystem ("fscanf" and "set_file_buffer" functions excepted)
 - Functions
 - Image
 - Mathematical
 - Miscellaneous
 - MySQL
 - Regular expressions
 - Sessions
 - Strings
 - Variables
 - XML

This manual describes PHP Mode version 0.0.4.

2 Installation

2.1 Requirements

PHP Mode is a XEmacs major mode that needs the following software/packages:

- [XEmacs](#).
- ‘font-lock’ mode generally installed with XEmacs.
- ‘assoc’ mode generally installed with XEmacs.
- ‘easymenu’ mode generally installed with XEmacs.
- ‘hippie-exp’ mode generally installed with XEmacs.

Before continuing, you must be sure to have all this packages installed.

2.2 Download

Two internet address to download PHP Mode :

- Principal: [PHP-Mode 0.0.4](http://deboutv.free.fr/lisp/php/) (<http://deboutv.free.fr/lisp/php/>)
- Secondary: [PHP-Mode 0.0.4](http://www.morinie.fr/lisp/php/) (<http://www.morinie.fr/lisp/php/>)
- Old releases: [PHP-Mode](http://deboutv.free.fr/lisp/php/) (<http://deboutv.free.fr/lisp/php/>)

2.3 Installation

2.3.1 Installation

To install PHP Mode you need to choose an installation directory (for example ‘/usr/local/share/lisp’ or ‘c:\lisp’). The administrator must have the write rights on this directory.

With your favorite unzip software, unzip the archive in the installation directory.

Example:

```
cd /usr/local/share/lisp  
tar zxvf php-0.0.4.tar.gz
```

Now you have a ‘php’ directory in the installation directory. This directory contains 2 files ‘php-mode.el’ and ‘php-mode.elc’ and another directory ‘docs’ containing the documentation.

You need to configure XEmacs. open you initialization file ‘init.el’ (open the file or start XEmacs then choose the *Options* menu and *Edit Init File*). Add the following lines (the installation directory in this example is ‘/usr/local/share/lisp’) :

```
(setq load-path  
      (append (list "/usr/local/share/lisp/") load-path))  
(autoload 'php-mode "php-mode" "PHP mode" t)
```

2.3.2 Update

The update is easy. You need to unzip the archive in the installation directory to remove the old release.

Example:

```
cd /usr/local/share/lisp  
rm -rf php  
tar zxvf php-0.0.4.tar.gz
```

2.4 Invoke PHP-Mode

You have two possibilities to invoke the PHP Mode.

- Manually: At each file opening you need to launch PHP Mode with the following command:

M-x php-mode

- Automatically: Add the following lines in your initialization file ‘`init.el`’ :

```
(setq auto-mode-alist  
      (append  
        '(("\\".php$" . php-mode)  
          ("\\\\.php5$" . php-mode))  
        auto-mode-alist))
```

3 Customization

This chapter describes the different parameters and functions that you can change to customize PHP Mode. To do that, open a PHP file, click on the *PHP* menu and choose *Options* then *Browse Options*....

3.1 Parameters

3.1.1 Mode

PHP Mode has 3 modes allowing to simplify the writing of PHP code. You can enable/disable each mode individually.

```
'php-electric-mode'
  Type: boolean
  Default value: 't'
  Description: If 't'; enable automatic generation of template. If 'nil'; template generators can still be invoked through key bindings and menu. Is indicated in the modeline by "/e" after the mode name and can be toggled by 'php-electric-mode'.
```

```
'php-stutter-mode'
  Type: boolean
  Default value: 't'
  Description: If 't'; enable the stuttering. Is indicated in the modeline by "/s" after the mode name and can be toggled by 'php-stutter-mode'.
```

```
'php-indent-tabs-mode'
  Type: boolean
  Default value: 'nil'
  Description: If 't'; indentation is made with tabs. If 'nil'; indentation is made with spaces.
```

3.1.2 Menu

PHP Mode has also 2 menus that you can enable/disable. The menus *Index* and *Sources* are specific to each PHP files opened.

```
'php-index-menu'
  Type: boolean
  Default value: 't'
  Description: If 't'; the Index menu is enabled. It shows the list of class and functions of the opened file. The Index menu scans the file when it is opened.
```

```
'php-index-menu-auto-rescan'
  Type: boolean
  Default value: 't'
```

Description: If ‘t’; the *Index* menu is updated when a function or a class is added or removed.

‘php-source-file-menu’

Type: boolean

Default value: ‘t’

Description: If ‘t’; the *Sources* menu is enabled. This menu contains the list of PHP file located in the current directory. The *Sources* menu scans the directory when a file is opened.

3.1.3 Templates

‘php-include-in-parenthesis’

Type: boolean

Default value: ‘t’

Description: If ‘t’; the *include* et *require* functions are used with parenthesis (example : `require('required_file.php');`). If ‘nil’; the *include* and *require* functions are used without parenthesis (example : `include_once 'required_file.php';`)

‘php-add-fclose-with-fopen’

Type: boolean

Default value: ‘t’

Description: If ‘t’; the *fclose* function is added when the template of the *fopen* function is executed.

‘php-add-mysql-close-when-connect’

Type: boolean

Default value: ‘t’

Description: If ‘t’; the *mysql_close* function is added when the template of *mysql_connect* function is executed.

3.1.3.1 Header

‘php-file-header’

Type: string

Default value: “”

/**

* <description string>

*

*

* Created: <date>

* Last update: <date>

*

* @link <link string>

* @copyright <copyright>

* @author <author>

* @package <package string>

```
* @version <version string>
*/
```

<cursor>"'

Description: String or file to insert as file header. If the string specifies an existing file name the contents of the file is inserted; otherwise the string itself is inserted as file header.

Type ‘C-j’ for newlines.

The following keywords are supported:

<filename>: replaced by the file name.

<author>: replaced by the user name and email address.

<login>: replaced by ‘user-login-name’.

<company>: replaced by ‘php-company-name’ content.

<date>: replaced by the current date.

<year>: replaced by the current year.

<copyright>: replaced by ‘php-copyright-string’ content.

<cursor>: final cursor position.

‘php-file-footer’

Type: *string*

Default value: ‘”’

Description: String or file to insert as file footer. See ‘php-file-header’

‘php-company-name’

Type: *string*

Default value: ‘”’

Description: Name of the company to insert in file header.

‘php-copyright-string’

Type: *string*

Default value: ‘”’

Description: Copyright string to insert in file header.

‘php-date-format’

Type: *string*

Default value: ‘"%Y-%m-%d"’

Description: Date format.

‘php-modify-date-prefix-string’

Type: *string*

Default value: ‘" * Last update: "'

Description: Prefix string of modification date in PHP file header.

‘php-modify-date-on-saving’

Type: *bool*

Default value: ‘t’

Description: If ‘t’; update the modification date when the buffer is saved.

3.1.4 Style

`'php-basic-offset'`
Type: *integer*
Default value: '4'
Description: Amount of basic offset used for indentation.

3.1.5 PHPDocumentor

`'php-enable-phpdocumentor-tags'`
Type: *bool*
Default value: 't'
Description: If 't'; PHP-Documentor tags are added into the class and functions comments.

`'php-class-tags'`
Type: *list (string)*
Default value: ''("package")'
Description: List of PHP-Documentor tags to add into the class comments.

`'php-function-tags'`
Type: *list (string)*
Default value: ''()
Description: List of PHP-Documentor tags to add into the functions comments.

3.1.6 Miscellaneous

`'php-intelligent-tab'`
Type: *bool*
Default value: 't'
Description: If 't'; TAB does indentation; completion and insert tabulations.
If 'nil'; TAB does only indentation.

`'php-word-completion-in-minibuffer'`
Type: *bool*
Default value: 't'
Description: If 't'; enable completion in the minibuffer.

`'php-word-completion-case-sensitive'`
Type: *bool*
Default value: 'nil'
Description: If 't'; completion is case sensitive.

3.2 Functions

3.2.1 Mode

‘php-electric-mode’

Menu: *PHP* → *Options* → *Mode* → *Electric Mode*

Keybinding: *C-c C-m C-e*

Description: This function is used to enable/disable the electric mode.

‘php-stutter-mode’

Menu: *PHP* → *Options* → *Mode* → *Stutter Mode*

Keybinding: *C-c C-m C-s*

Description: This function is used to enable/disable the stutter mode.

4 Menus

There are 3 menus: *PHP*, *Index* and *Sources*. All theses menus can be accessed from the menubar or from the right click. This chapter describes each menus.

4.1 PHP

This is the main menu of PHP Mode. It allows an easy access to the main features of the PHP Mode: *Templates* (see [Chapter 8 \[Templates\], page 14](#)), *Indentation* (see [Chapter 6 \[Indentation\], page 12](#)) and *Options* (see [Chapter 3 \[Customization\], page 4](#)).

This menu contains also 3 functions that are discussed in the next part.

4.1.1 Functions

`'php-show-messages'`

Menu: *PHP* → *Show Messages*

Keybinding: *C-c M-m*

Description: This function opens the *Messages* buffer to display previous error messages.

`'php-doc-mode'`

Menu: *PHP* → *PHP Mode Documentation*

Keybinding: *C-c C-h*

Description: This function opens the *Help* buffer and prints in it the PHP Mode documentation.

`'php-version'`

Menu: *PHP* → *Version*

Keybinding: *C-c C-v*

Description: This function displays in the minibuffer the current PHP Mode version with the timestamp.

4.2 Index

The *Index* menu allows you to navigate into the current buffer to find functions and classes. This menu is built during the buffer opening and you need to refresh it if you add or remove functions or classes. There is one *Index* menu per buffer.

4.2.1 Customization

`'php-index-menu'`

Type: *boolean*

Default value: ‘t’

Description: If ‘t’; the *Index* menu is enabled. It shows the list of class and functions of the opened file. The *Index* menu scans the file when it is opened.

'php-index-menu-auto-rescan'
Type: boolean
Default value: 't'
Description: If 't'; the *Index* menu is updated when a function or a class is added or removed.

4.3 Sources

The *Sources* menu shows the PHP files in the current directory. If you add or delete a file in the current directory, you need to refresh the menu.

4.3.1 Customization

'php-source-file-menu'
Type: boolean
Default value: 't'
Description: If 't'; the *Sources* menu is enabled. This menu contains the list of PHP file located in the current directory. The *Sources* menu scans the directory when a file is opened.

4.3.2 Functions

'php-add-source-files-menu'
Menu: *Sources* → *Rescan*
Keybinding: C-c C-s C-u
Description: This function is used to refresh the *Sources* menu.

5 Completion

Completion allows you to write PHP code by reducing errors in function names or variable names. It also suggests PHP function names.

To use completion, write the first letters and use `\TAB` to complete the word until you find the perfect completion. For example, in a blank PHP buffer, type "mysql_" and complete the function name with `\TAB`: all `mysql_*` functions are proposed.

Completion can occurs with the supported PHP functions, the PHP code written in the current buffer and the PHP code written in all other files that are opened in the current XEmacs window.

Completion is customizable.

5.1 Customization

```
'php-intelligent-tab'  
  Type: bool  
  Default value: 't'  
  Description: If 't'; TAB does indentation; completion and insert tabulations.  
  If 'nil'; TAB does only indentation.  
  
'php-word-completion-in-minibuffer'  
  Type: bool  
  Default value: 't'  
  Description: If 't'; enable completion in the minibuffer.  
  
'php-word-completion-case-sensitive'  
  Type: bool  
  Default value: 'nil'  
  Description: If 't'; completion is case sensitive.
```

6 Indentation

Indentation can be done with spaces or TAB characters. A new line is automatically indented. You can manually indent or remove indentation by placing the cursor at the beginning of the first word and by using the `(TAB)` key.

6.1 Customization

`'php-indent-tabs-mode'`
Type: *boolean*
Default value: `'nil'`
Description: If `'t'`; indentation is made with tabs. If `'nil'`; indentation is made with spaces.

`'php-basic-offset'`
Type: *integer*
Default value: `'4'`
Description: Amount of basic offset used for indentation.

6.2 Functions

`'indent-according-to-mode'`
Menu: *PHP* → *Indent* → *Line*
Keybinding: `C-c C-i C-l`
Description: This function is used to indent the current line (the line where the cursor is).

`'php-indent-region'`
Menu: *PHP* → *Indent* → *Region*
Keybinding: `M-C-\`
Description: This function is used to indent the selected region in the current buffer.

`'php-indent-buffer'`
Menu: *PHP* → *Indent* → *Buffer*
Keybinding: `C-c C-i C-b`
Description: This function is used to indent the buffer.

7 Stuttering

The stutter mode is a mode that affects a function to a key. For example, when you use the *ENTER* key, the associated function will create a new line and indent it.

7.1 Customization

```
'php-stutter-mode'  
  Type: boolean  
  Default value: 't'  
  Description: If 't'; enable the stuttering. Is indicated in the modeline by "/s" after the mode name and can be toggled by 'php-stutter-mode'.
```

7.2 Functions

<i>SPACE</i>	If in comment, indent the comment and add new line if necessary. In other case, add a space.
<i>ENTER</i>	Insert a new line and indent it.
<i>}</i>	Insert a new line and indent it.
<i>;</i>	Insert a new line and indent it.
<i>*</i>	If the previous character is a '/', a prompt will ask you for inserting a '/* */' comment type (with the <i>SPACE</i> key) or ' <i>/**</i> <i>*</i> <i>*/'</i> coment type (with the * key).
<i>(</i>	If the previous character is a '(', the '()' will be replaced by '['. If the previous character is a '[', the '[(' will be replaced by '{'. In other case, insert a '('.
<i>)</i>	If the previous character is a ')', the ')()' will be replaced by ']'. If the previous character is a ']', the '])' will be replaced by '}'. In other case, insert a ')'.

8 Templates

In the PHP Mode, the PHP functions (like if, while, for, fopen, fclose) are predefined in functions called "Templates".

Each template can be invoked by the function name or by using the `(SPACE)` key after the PHP function name in the buffer (Note, using `M-(SPACE)` disable the template).

A template can be aborted by using the `C-g` or by lefting empty the tempate prompt (in the minibuffer).

8.1 Customization

```
'php-electric-mode'
  Type: boolean
  Default value: 't'
  Description: If 't'; enable automatic generation of template. If 'nil'; template generators can still be invoked through key bindings and menu. Is indicated in the modeline by "/e" after the mode name and can be toggled by 'php-electric-mode'.
```

For a complete description of the template customizable variables, see [Section 3.1.3 \[Cu01-Pa01-Template\]](#), page 5

8.2 Functions

8.2.1 .NET

```
'php-template-dotnet-load'
  Menu: PHP -> Templates -> .NET -> dotnet_load
  Keybinding: none
  PHP Function: dotnet_load
```

8.2.2 Apache

```
'php-template-apache-child-terminate'
  Menu: PHP -> Templates -> Apache -> apache_child_terminate
  Keybinding: none
  PHP Function: apache_child_terminate

'php-template-apache-get-modules'
  Menu: PHP -> Templates -> Apache -> apache_get_modules
  Keybinding: none
  PHP Function: apache_get_modules

'php-template-apache-get-version'
  Menu: PHP -> Templates -> Apache -> apache_get_version
  Keybinding: none
  PHP Function: apache_get_version
```

```
'php-template-apache-getenv'
    Menu: PHP → Templates → Apache → apache_getenv
    Keybinding: none
    PHP Function: apache_getenv

'php-template-apache-lookup-uri'
    Menu: PHP → Templates → Apache → apache_lookup_uri
    Keybinding: none
    PHP Function: apache_lookup_uri

'php-template-apache-note'
    Menu: PHP → Templates → Apache → apache_note
    Keybinding: none
    PHP Function: apache_note

'php-template-apache-request-headers'
    Menu: PHP → Templates → Apache → apache_request_headers
    Keybinding: none
    PHP Function: apache_request_headers

'php-template-apache-reset-timeout'
    Menu: PHP → Templates → Apache → apache_reset_timeout
    Keybinding: none
    PHP Function: apache_reset_timeout

'php-template-apache-response-headers'
    Menu: PHP → Templates → Apache → apache_response_headers
    Keybinding: none
    PHP Function: apache_response_headers

'php-template-apache-setenv'
    Menu: PHP → Templates → Apache → apache_setenv
    Keybinding: none
    PHP Function: apache_setenv

'php-template-ascii2ebcdic'
    Menu: PHP → Templates → Apache → ascii2ebcdic
    Keybinding: none
    PHP Function: ascii2ebcdic

'php-template-ebcdic2ascii'
    Menu: PHP → Templates → Apache → ebcdic2ascii
    Keybinding: none
    PHP Function: ebcdic2ascii

'php-template-getallheaders'
    Menu: PHP → Templates → Apache → getallheaders
    Keybinding: none
    PHP Function: getallheaders
```

```
'php-template-virtual'  
    Menu: PHP -> Templates -> Apache -> virtual  
    Keybinding: none  
    PHP Function: virtual
```

8.2.3 APC

```
'php-template-apc-cache-info'  
    Menu: PHP -> Templates -> APC -> apc_cache_info  
    Keybinding: none  
    PHP Function: apc_cache_info
```

```
'php-template-apc-clear-cache'  
    Menu: PHP -> Templates -> APC -> apc_clear_cache  
    Keybinding: none  
    PHP Function: apc_clear_cache
```

```
'php-template-apc-define-constants'  
    Menu: PHP -> Templates -> APC -> apc_define_constants  
    Keybinding: none  
    PHP Function: apc_define_constants
```

```
'php-template-apc-delete'  
    Menu: PHP -> Templates -> APC -> apc_delete  
    Keybinding: none  
    PHP Function: apc_delete
```

```
'php-template-apc-fetch'  
    Menu: PHP -> Templates -> APC -> apc_fetch  
    Keybinding: none  
    PHP Function: apc_fetch
```

```
'php-template-apc-load-constants'  
    Menu: PHP -> Templates -> APC -> apc_load_constants  
    Keybinding: none  
    PHP Function: apc_load_constants
```

```
'php-template-apc-sma-info'  
    Menu: PHP -> Templates -> APC -> apc_sma_info  
    Keybinding: none  
    PHP Function: apc_sma_info
```

```
'php-template-apc-store'  
    Menu: PHP -> Templates -> APC -> apc_store  
    Keybinding: none  
    PHP Function: apc_store
```

8.2.4 Array Functions

'php-template-array-change-key-case'

Menu: *PHP* → *Templates* → *Array functions* → *Array (array_change → array_map)* → *array_change_key_case*

Keybinding: *none*

PHP Function: *array_change_key_case*

'php-template-array-chunk'

Menu: *PHP* → *Templates* → *Array functions* → *Array (array_change → array_map)* → *array_chunk*

Keybinding: *none*

PHP Function: *array_chunk*

'php-template-array-combine'

Menu: *PHP* → *Templates* → *Array functions* → *Array (array_change → array_map)* → *array_combine*

Keybinding: *none*

PHP Function: *array_combine*

'php-template-array-count-values'

Menu: *PHP* → *Templates* → *Array functions* → *Array (array_change → array_map)* → *array_count_values*

Keybinding: *none*

PHP Function: *array_count_values*

'php-template-array-diff-assoc'

Menu: *PHP* → *Templates* → *Array functions* → *Array (array_change → array_map)* → *array_diff_assoc*

Keybinding: *none*

PHP Function: *array_diff_assoc*

'php-template-array-diff-key'

Menu: *PHP* → *Templates* → *Array functions* → *Array (array_change → array_map)* → *array_diff_key*

Keybinding: *none*

PHP Function: *array_diff_key*

'php-template-array-diff-uassoc'

Menu: *PHP* → *Templates* → *Array functions* → *Array (array_change → array_map)* → *array_diff_uassoc*

Keybinding: *none*

PHP Function: *array_diff_uassoc*

'php-template-array-diff-ukey'

Menu: *PHP* → *Templates* → *Array functions* → *Array (array_change → array_map)* → *array_diff_ukey*

Keybinding: *none*

PHP Function: *array_diff_ukey*

```
'php-template-array-diff'
  Menu: PHP → Templates → Array functions → Array (array_change → array_map) → array_diff
  Keybinding: none
  PHP Function: array_diff

'php-template-array-fill'
  Menu: PHP → Templates → Array functions → Array (array_change → array_map) → array_fill
  Keybinding: none
  PHP Function: array_fill

'php-template-array-filter'
  Menu: PHP → Templates → Array functions → Array (array_change → array_map) → array_filter
  Keybinding: none
  PHP Function: array_filter

'php-template-array-flip'
  Menu: PHP → Templates → Array functions → Array (array_change → array_map) → array_flip
  Keybinding: none
  PHP Function: array_flip

'php-template-array-intersect-assoc'
  Menu: PHP → Templates → Array functions → Array (array_change → array_map) → array_intersect_assoc
  Keybinding: none
  PHP Function: array_intersect_assoc

'php-template-array-intersect-key'
  Menu: PHP → Templates → Array functions → Array (array_change → array_map) → array_intersect_key
  Keybinding: none
  PHP Function: array_intersect_key

'php-template-array-intersect-uassoc'
  Menu: PHP → Templates → Array functions → Array (array_change → array_map) → array_intersect_uassoc
  Keybinding: none
  PHP Function: array_intersect_uassoc

'php-template-array-intersect-ukey'
  Menu: PHP → Templates → Array functions → Array (array_change → array_map) → array_intersect_ukey
  Keybinding: none
  PHP Function: array_intersect_ukey

'php-template-array-intersect'
  Menu: PHP → Templates → Array functions → Array (array_change → array_map) → array_intersect
```

Keybinding: *none*
PHP Function: *array_intersect*

'php-template-array-exists'
Menu: *PHP* → *Templates* → *Array functions* → *Array (array_change → array_map) → array_key_exists*
Keybinding: *none*
PHP Function: *array_key_exists*

'php-template-array-keys'
Menu: *PHP* → *Templates* → *Array functions* → *Array (array_change → array_map) → array_keys*
Keybinding: *none*
PHP Function: *array_keys*

'php-template-array-map'
Menu: *PHP* → *Templates* → *Array functions* → *Array (array_change → array_map) → array_map*
Keybinding: *none*
PHP Function: *array_map*

'php-template-array-merge-recursive'
Menu: *PHP* → *Templates* → *Array functions* → *Array (array_merge → array_uintersect_uassoc) → array_merge_recursive*
Keybinding: *none*
PHP Function: *array_merge_recursive*

'php-template-array-merge'
Menu: *PHP* → *Templates* → *Array functions* → *Array (array_merge → array_uintersect_uassoc) → array_merge*
Keybinding: *none*
PHP Function: *array_merge*

'php-template-array-multisort'
Menu: *PHP* → *Templates* → *Array functions* → *Array (array_merge → array_uintersect_uassoc) → array_multisort*
Keybinding: *none*
PHP Function: *array_multisort*

'php-template-array-pad'
Menu: *PHP* → *Templates* → *Array functions* → *Array (array_merge → array_uintersect_uassoc) → array_pad*
Keybinding: *none*
PHP Function: *array_pad*

'php-template-array-pop'
Menu: *PHP* → *Templates* → *Array functions* → *Array (array_merge → array_uintersect_uassoc) → array_pop*
Keybinding: *none*
PHP Function: *array_pop*

'php-template-array-product'
Menu: *PHP* → *Templates* → *Array functions* → *Array (array_merge → array_uintersect_uassoc) → array_product*
Keybinding: *none*
PHP Function: *array_product*

'php-template-array-push'
Menu: *PHP* → *Templates* → *Array functions* → *Array (array_merge → array_uintersect_uassoc) → array_push*
Keybinding: *none*
PHP Function: *array_push*

'php-template-array-rand'
Menu: *PHP* → *Templates* → *Array functions* → *Array (array_merge → array_uintersect_uassoc) → array_rand*
Keybinding: *none*
PHP Function: *array_rand*

'php-template-array-reduce'
Menu: *PHP* → *Templates* → *Array functions* → *Array (array_merge → array_uintersect_uassoc) → array_reduce*
Keybinding: *none*
PHP Function: *array_reduce*

'php-template-array-reverse'
Menu: *PHP* → *Templates* → *Array functions* → *Array (array_merge → array_uintersect_uassoc) → array_reverse*
Keybinding: *none*
PHP Function: *array_reverse*

'php-template-array-search'
Menu: *PHP* → *Templates* → *Array functions* → *Array (array_merge → array_uintersect_uassoc) → array_search*
Keybinding: *none*
PHP Function: *array_search*

'php-template-array-shift'
Menu: *PHP* → *Templates* → *Array functions* → *Array (array_merge → array_uintersect_uassoc) → array_shift*
Keybinding: *none*
PHP Function: *array_shift*

'php-template-array-slice'
Menu: *PHP* → *Templates* → *Array functions* → *Array (array_merge → array_uintersect_uassoc) → array_slice*
Keybinding: *none*
PHP Function: *array_slice*

'php-template-array-splice'
Menu: *PHP* → *Templates* → *Array functions* → *Array (array_merge → array_uintersect_uassoc) → array_splice*

Keybinding: `none`
PHP Function: `array_splice`

`'php-template-array-sum'`
Menu: *PHP* → *Templates* → *Array functions* → *Array* (`array_merge` → `array_uintersect_uassoc`) → `array_sum`
Keybinding: `none`
PHP Function: `array_sum`

`'php-template-array-udiff-assoc'`
Menu: *PHP* → *Templates* → *Array functions* → *Array* (`array_merge` → `array_uintersect_uassoc`) → `array_udiff_assoc`
Keybinding: `none`
PHP Function: `array_udiff_assoc`

`'php-template-array-udiff-uassoc'`
Menu: *PHP* → *Templates* → *Array functions* → *Array* (`array_merge` → `array_uintersect_uassoc`) → `array_udiff_uassoc`
Keybinding: `none`
PHP Function: `array_udiff_uassoc`

`'php-template-array-udiff'`
Menu: *PHP* → *Templates* → *Array functions* → *Array* (`array_merge` → `array_uintersect_uassoc`) → `array_udiff`
Keybinding: `none`
PHP Function: `array_udiff`

`'php-template-array-uintersect-assoc'`
Menu: *PHP* → *Templates* → *Array functions* → *Array* (`array_merge` → `array_uintersect_uassoc`) → `array_uintersect_assoc`
Keybinding: `none`
PHP Function: `array_uintersect_assoc`

`'php-template-array-uintersect-uassoc'`
Menu: *PHP* → *Templates* → *Array functions* → *Array* (`array_merge` → `array_uintersect_assoc`) → `array_uintersect_uassoc`
Keybinding: `none`
PHP Function: `array_uintersect_uassoc`

`'php-template-array-uintersect'`
Menu: *PHP* → *Templates* → *Array functions* → *Array* (`array_uintersect` → `list`) → `array_uintersect`
Keybinding: `none`
PHP Function: `array_uintersect`

`'php-template-array-unique'`
Menu: *PHP* → *Templates* → *Array functions* → *Array* (`array_uintersect` → `list`) → `array_unique`
Keybinding: `none`
PHP Function: `array_unique`

'php-template-array-unshift'
 Menu: *PHP* → *Templates* → *Array functions* → *Array (array_uintersect → list)* → *array_unshift*
 Keybinding: *none*
 PHP Function: *array_unshift*

'php-template-array-values'
 Menu: *PHP* → *Templates* → *Array functions* → *Array (array_uintersect → list)* → *array_values*
 Keybinding: *none*
 PHP Function: *array_values*

'php-template-array-walk-recursive'
 Menu: *PHP* → *Templates* → *Array functions* → *Array (array_uintersect → list)* → *array_walk_recursive*
 Keybinding: *none*
 PHP Function: *array_walk_recursive*

'php-template-array-walk'
 Menu: *PHP* → *Templates* → *Array functions* → *Array (array_uintersect → list)* → *array_walk*
 Keybinding: *none*
 PHP Function: *array_walk*

'php-template-array'
 Menu: *PHP* → *Templates* → *Array functions* → *Array (array_uintersect → list)* → *array*
 Keybinding: *none*
 PHP Function: *array*

'php-template-arsort'
 Menu: *PHP* → *Templates* → *Array functions* → *Array (array_uintersect → list)* → *arsort*
 Keybinding: *none*
 PHP Function: *arsort*

'php-template-asort'
 Menu: *PHP* → *Templates* → *Array functions* → *Array (array_uintersect → list)* → *asort*
 Keybinding: *none*
 PHP Function: *asort*

'php-template-compact'
 Menu: *PHP* → *Templates* → *Array functions* → *Array (array_uintersect → list)* → *compact*
 Keybinding: *none*
 PHP Function: *compact*

'php-template-count'
 Menu: *PHP* → *Templates* → *Array functions* → *Array (array_uintersect → list)* → *count*

Keybinding: *none*
PHP Function: count

'php-template-current'
 Menu: *PHP* → *Templates* → *Array functions* → *Array (array_uintersect → list)* → *current*
 Keybinding: *none*
 PHP Function: current

'php-template-each'
 Menu: *PHP* → *Templates* → *Array functions* → *Array (array_uintersect → list)* → *each*
 Keybinding: *none*
 PHP Function: each

'php-template-end'
 Menu: *PHP* → *Templates* → *Array functions* → *Array (array_uintersect → list)* → *end*
 Keybinding: *none*
 PHP Function: end

'php-template-extract'
 Menu: *PHP* → *Templates* → *Array functions* → *Array (array_uintersect → list)* → *extract*
 Keybinding: *none*
 PHP Function: extract

'php-template-in-array'
 Menu: *PHP* → *Templates* → *Array functions* → *Array (array_uintersect → list)* → *in_array*
 Keybinding: *none*
 PHP Function: in_array

'php-template-key'
 Menu: *PHP* → *Templates* → *Array functions* → *Array (array_uintersect → list)* → *key*
 Keybinding: *none*
 PHP Function: key

'php-template-krsort'
 Menu: *PHP* → *Templates* → *Array functions* → *Array (array_uintersect → list)* → *krsort*
 Keybinding: *none*
 PHP Function: krsort

'php-template-ksort'
 Menu: *PHP* → *Templates* → *Array functions* → *Array (array_uintersect → list)* → *ksort*
 Keybinding: *none*
 PHP Function: ksort

```
'php-template-list'
  Menu: PHP → Templates → Array functions → Array (array_uintersect →
  list) → list
  Keybinding: none
  PHP Function: list

'php-template-natcasesort'
  Menu: PHP → Templates → Array functions → Array (natcasesort → usort)
  → natcasesort
  Keybinding: none
  PHP Function: natcasesort

'php-template-natsort'
  Menu: PHP → Templates → Array functions → Array (natcasesort → usort)
  → natsort
  Keybinding: none
  PHP Function: natsort

'php-template-next'
  Menu: PHP → Templates → Array functions → Array (natcasesort → usort)
  → next
  Keybinding: none
  PHP Function: next

'php-template-pos'
  Menu: PHP → Templates → Array functions → Array (natcasesort → usort)
  → pos
  Keybinding: none
  PHP Function: pos

'php-template-prev'
  Menu: PHP → Templates → Array functions → Array (natcasesort → usort)
  → prev
  Keybinding: none
  PHP Function: prev

'php-template-range'
  Menu: PHP → Templates → Array functions → Array (natcasesort → usort)
  → range
  Keybinding: none
  PHP Function: range

'php-template-reset'
  Menu: PHP → Templates → Array functions → Array (natcasesort → usort)
  → reset
  Keybinding: none
  PHP Function: reset

'php-template-rsort'
  Menu: PHP → Templates → Array functions → Array (natcasesort → usort)
  → rsort
```

Keybinding: none
PHP Function: rsort

'php-template-shuffle'
 Menu: PHP → Templates → Array functions → Array (natcasesort → usort)
 → shuffle
 Keybinding: none
 PHP Function: shuffle

'php-template-sizeof'
 Menu: PHP → Templates → Array functions → Array (natcasesort → usort)
 → sizeof
 Keybinding: none
 PHP Function: sizeof

'php-template-sort'
 Menu: PHP → Templates → Array functions → Array (natcasesort → usort)
 → sort
 Keybinding: none
 PHP Function: sort

'php-template-uasort'
 Menu: PHP → Templates → Array functions → Array (natcasesort → usort)
 → uasort
 Keybinding: none
 PHP Function: uasort

'php-template-uksort'
 Menu: PHP → Templates → Array functions → Array (natcasesort → usort)
 → uksort
 Keybinding: none
 PHP Function: uksort

'php-template-usort'
 Menu: PHP → Templates → Array functions → Array (natcasesort → usort)
 → usort
 Keybinding: none
 PHP Function: usort

8.2.5 Control Structures

'php-template-break'
 Menu: PHP → Templates → Control Structures → break
 Keybinding: none
 PHP Function: break

'php-template-continue'
 Menu: PHP → Templates → Control Structures → continue
 Keybinding: none
 PHP Function: continue

'php-template-do-while'

Menu: *PHP* → *Templates* → *Control Structures* → *do-while*

Keybinding: *none*

PHP Function: do-while

'php-template-else'

Menu: *PHP* → *Templates* → *Control Structures* → *else*

Keybinding: *none*

PHP Function: else

'php-template-elseif'

Menu: *PHP* → *Templates* → *Control Structures* → *elseif*

Keybinding: *none*

PHP Function: elseif

'php-template-for'

Menu: *PHP* → *Templates* → *Control Structures* → *for*

Keybinding: *none*

PHP Function: for

'php-template-foreach'

Menu: *PHP* → *Templates* → *Control Structures* → *foreach*

Keybinding: *none*

PHP Function: foreach

'php-template-if'

Menu: *PHP* → *Templates* → *Control Structures* → *if*

Keybinding: *none*

PHP Function: if

'php-template-include'

Menu: *PHP* → *Templates* → *Control Structures* → *include*

Keybinding: *none*

PHP Function: include

'php-template-include-once'

Menu: *PHP* → *Templates* → *Control Structures* → *include_once*

Keybinding: *none*

PHP Function: include_once

'php-template-require'

Menu: *PHP* → *Templates* → *Control Structures* → *require*

Keybinding: *none*

PHP Function: require

'php-template-require-once'

Menu: *PHP* → *Templates* → *Control Structures* → *require_once*

Keybinding: *none*

PHP Function: require_once

'php-template-return'

Menu: *PHP* → *Templates* → *Control Structures* → *return*
 Keybinding: *none*
 PHP Function: *return*

'php-template-switch'

Menu: *PHP* → *Templates* → *Control Structures* → *switch*
 Keybinding: *none*
 PHP Function: *switch*

'php-template-while'

Menu: *PHP* → *Templates* → *Control Structures* → *while*
 Keybinding: *none*
 PHP Function: *while*

8.2.6 Date/Time Functions

'php-template-checkdate'

Menu: *PHP* → *Templates* → *Date/Time Functions* → *checkdate*
 Keybinding: *none*
 PHP Function: *checkdate*

'php-template-date-default-timezone-get'

Menu: *PHP* → *Templates* → *Date/Time Functions* → *date_default_timezone_get*

 Keybinding: *none*
 PHP Function: *date_default_timezone_get*

'php-template-date-default-timezone-set'

Menu: *PHP* → *Templates* → *Date/Time Functions* → *date_default_timezone_set*

 Keybinding: *none*
 PHP Function: *date_default_timezone_set*

'php-template-date-sunrise'

Menu: *PHP* → *Templates* → *Date/Time Functions* → *date_sunrise*
 Keybinding: *none*
 PHP Function: *date_sunrise*

'php-template-date-sunset'

Menu: *PHP* → *Templates* → *Date/Time Functions* → *date_sunset*
 Keybinding: *none*
 PHP Function: *date_sunset*

'php-template-date'

Menu: *PHP* → *Templates* → *Date/Time Functions* → *date*
 Keybinding: *none*
 PHP Function: *date*

```
'php-template-getdate'
    Menu: PHP → Templates → Date/Time Functions → getdate
    Keybinding: none
    PHP Function: getdate

'php-template-gettimeofday'
    Menu: PHP → Templates → Date/Time Functions → gettimeofday
    Keybinding: none
    PHP Function: gettimeofday

'php-template-gmdate'
    Menu: PHP → Templates → Date/Time Functions → gmdate
    Keybinding: none
    PHP Function: gmdate

'php-template-gmmktime'
    Menu: PHP → Templates → Date/Time Functions → gmmktime
    Keybinding: none
    PHP Function: gmmktime

'php-template-gmstrftime'
    Menu: PHP → Templates → Date/Time Functions → gmstrftime
    Keybinding: none
    PHP Function: gmstrftime

'php-template-odate'
    Menu: PHP → Templates → Date/Time Functions → odate
    Keybinding: none
    PHP Function: odate

'php-template-localtime'
    Menu: PHP → Templates → Date/Time Functions → localtime
    Keybinding: none
    PHP Function: localtime

'php-template-microtime'
    Menu: PHP → Templates → Date/Time Functions → microtime
    Keybinding: none
    PHP Function: microtime

'php-template-mktime'
    Menu: PHP → Templates → Date/Time Functions → mktime
    Keybinding: none
    PHP Function: mktime

'php-template-strftime'
    Menu: PHP → Templates → Date/Time Functions → strftime
    Keybinding: none
    PHP Function: strftime
```

```
'php-template-strptime'
    Menu: PHP → Templates → Date/Time Functions → strftime
    Keybinding: none
    PHP Function: strftime

'php-template-strtotime'
    Menu: PHP → Templates → Date/Time Functions → strtotime
    Keybinding: none
    PHP Function: strtotime

'php-template-time'
    Menu: PHP → Templates → Date/Time Functions → time
    Keybinding: none
    PHP Function: time
```

8.2.7 Directory Functions

```
'php-template-chdir'
    Menu: PHP → Templates → Directory Functions → chdir
    Keybinding: none
    PHP Function: chdir

'php-template-chroot'
    Menu: PHP → Templates → Directory Functions → chroot
    Keybinding: none
    PHP Function: chroot

'php-template-dir'
    Menu: PHP → Templates → Directory Functions → dir
    Keybinding: none
    PHP Function: dir

'php-template-closedir'
    Menu: PHP → Templates → Directory Functions → closedir
    Keybinding: none
    PHP Function: closedir

'php-template-getcwd'
    Menu: PHP → Templates → Directory Functions → getcwd
    Keybinding: none
    PHP Function: getcwd

'php-template-opendir'
    Menu: PHP → Templates → Directory Functions → opendir
    Keybinding: none
    PHP Function: opendir

'php-template-readdir'
    Menu: PHP → Templates → Directory Functions → readdir
    Keybinding: none
    PHP Function: readdir
```

'php-template-rewinddir'
 Menu: *PHP* → *Templates* → *Directory Functions* → *rewinddir*
 Keybinding: *none*
 PHP Function: *rewinddir*

'php-template-scandir'
 Menu: *PHP* → *Templates* → *Directory Functions* → *scandir*
 Keybinding: *none*
 PHP Function: *scandir*

8.2.8 Error and Logging

'php-template-debug-backtrace'
 Menu: *PHP* → *Templates* → *Error and Logging* → *debug_backtrace*
 Keybinding: *none*
 PHP Function: *debug_backtrace*

'php-template-debug-print-backtrace'
 Menu: *PHP* → *Templates* → *Error and Logging* → *debug_print_backtrace*
 Keybinding: *none*
 PHP Function: *debug_print_backtrace*

'php-template-error-log'
 Menu: *PHP* → *Templates* → *Error and Logging* → *error_log*
 Keybinding: *none*
 PHP Function: *error_log*

'php-template-error-reporting'
 Menu: *PHP* → *Templates* → *Error and Logging* → *error_reporting*
 Keybinding: *none*
 PHP Function: *error_reporting*

'php-template-restore-error-handler'
 Menu: *PHP* → *Templates* → *Error and Logging* → *restore_error_handler*
 Keybinding: *none*
 PHP Function: *restore_error_handler*

'php-template-restore-exception-handler'
 Menu: *PHP* → *Templates* → *Error and Logging* → *restore_exception_handler*
 Keybinding: *none*
 PHP Function: *restore_exception_handler*

'php-template-set-error-handler'
 Menu: *PHP* → *Templates* → *Error and Logging* → *set_error_handler*
 Keybinding: *none*
 PHP Function: *set_error_handler*

'php-template-set-exception-handler'
 Menu: *PHP* → *Templates* → *Error and Logging* → *set_exception_handler*
 Keybinding: *none*
 PHP Function: *set_exception_handler*

'php-template-trigger-error'
 Menu: *PHP* → *Templates* → *Error and Logging* → *trigger_error*
 Keybinding: *none*
 PHP Function: *trigger_error*

'php-template-user-error'
 Menu: *PHP* → *Templates* → *Error and Logging* → *user_error*
 Keybinding: *none*
 PHP Function: *user_error*

8.2.9 File System

'php-template-basename'
 Menu: *PHP* → *Templates* → *File System* → *File System (Basename* → *File_get_contents)* → *basename*
 Keybinding: *none*
 PHP Function: *basename*

'php-template-chgrp'
 Menu: *PHP* → *Templates* → *File System* → *File System (Basename* → *File_get_contents)* → *chgrp*
 Keybinding: *none*
 PHP Function: *chgrp*

'php-template-chmod'
 Menu: *PHP* → *Templates* → *File System* → *File System (Basename* → *File_get_contents)* → *chmod*
 Keybinding: *none*
 PHP Function: *chmod*

'php-template-chown'
 Menu: *PHP* → *Templates* → *File System* → *File System (Basename* → *File_get_contents)* → *chown*
 Keybinding: *none*
 PHP Function: *chown*

'php-template-clearstatcache'
 Menu: *PHP* → *Templates* → *File System* → *File System (Basename* → *File_get_contents)* → *clearstatcache*
 Keybinding: *none*
 PHP Function: *clearstatcache*

'php-template-copy'
 Menu: *PHP* → *Templates* → *File System* → *File System (Basename* → *File_get_contents)* → *copy*
 Keybinding: *none*
 PHP Function: *copy*

'php-template-delete'
 Menu: *PHP* → *Templates* → *File System* → *File System (Basename* → *File_get_contents)* → *delete*

Keybinding: *none*
PHP Function: delete

'php-template dirname'
 Menu: *PHP* → *Templates* → *File System* → *File System (Basename* → *File_get_contents)* → *dirname*
 Keybinding: *none*
 PHP Function: dirname

'php-template-disk-free-space'
 Menu: *PHP* → *Templates* → *File System* → *File System (Basename* → *File_get_contents)* → *disk_free_space*
 Keybinding: *none*
 PHP Function: disk_free_space

'php-template-disk-total-space'
 Menu: *PHP* → *Templates* → *File System* → *File System (Basename* → *File_get_contents)* → *disk_total_space*
 Keybinding: *none*
 PHP Function: disk_total_space

'php-template-diskfreespace'
 Menu: *PHP* → *Templates* → *File System* → *File System (Basename* → *File_get_contents)* → *diskfreespace*
 Keybinding: *none*
 PHP Function: diskfreespace

'php-template-fclose'
 Menu: *PHP* → *Templates* → *File System* → *File System (Basename* → *File_get_contents)* → *fclose*
 Keybinding: *none*
 PHP Function: fclose

'php-template-feof'
 Menu: *PHP* → *Templates* → *File System* → *File System (Basename* → *File_get_contents)* → *feof*
 Keybinding: *none*
 PHP Function: feof

'php-template-fflush'
 Menu: *PHP* → *Templates* → *File System* → *File System (Basename* → *File_get_contents)* → *fflush*
 Keybinding: *none*
 PHP Function: fflush

'php-template-fgetc'
 Menu: *PHP* → *Templates* → *File System* → *File System (Basename* → *File_get_contents)* → *fgetc*
 Keybinding: *none*
 PHP Function: fgetc

```
'php-template-fgetcsv'
    Menu: PHP → Templates → File System → File System (Basename →
    File_get_contents) → fgetcsv
    Keybinding: none
    PHP Function: fgetcsv

'php-template-fgets'
    Menu: PHP → Templates → File System → File System (Basename →
    File_get_contents) → fgets
    Keybinding: none
    PHP Function: fgets

'php-template-fgetss'
    Menu: PHP → Templates → File System → File System (Basename →
    File_get_contents) → fgetss
    Keybinding: none
    PHP Function: fgetss

'php-template-file-exists'
    Menu: PHP → Templates → File System → File System (Basename →
    File_get_contents) → file_exists
    Keybinding: none
    PHP Function: file_exists

'php-template-file-get-contents'
    Menu: PHP → Templates → File System → File System (Basename →
    File_get_contents) → file_get_contents
    Keybinding: none
    PHP Function: file_get_contents

'php-template-file-put-contents'
    Menu: PHP → Templates → File System → File System (File_put_contents
    → Fseek) → file_put_contents
    Keybinding: none
    PHP Function: file_put_contents

'php-template-file'
    Menu: PHP → Templates → File System → File System (File_put_contents
    → Fseek) → file
    Keybinding: none
    PHP Function: file

'php-template-fileatime'
    Menu: PHP → Templates → File System → File System (File_put_contents
    → Fseek) → fileatime
    Keybinding: none
    PHP Function: fileatime

'php-template-filectime'
    Menu: PHP → Templates → File System → File System (File_put_contents
    → Fseek) → filectime
```

Keybinding: none
PHP Function: filectime

‘php-template-filegroup’
 Menu: PHP → Templates → File System → File System (File_put_contents → Fseek) → filegroup
 Keybinding: none
 PHP Function: filegroup

‘php-template-fileinode’
 Menu: PHP → Templates → File System → File System (File_put_contents → Fseek) → fileinode
 Keybinding: none
 PHP Function: fileinode

‘php-template-filemtime’
 Menu: PHP → Templates → File System → File System (File_put_contents → Fseek) → filemtime
 Keybinding: none
 PHP Function: filemtime

‘php-template-fileowner’
 Menu: PHP → Templates → File System → File System (File_put_contents → Fseek) → fileowner
 Keybinding: none
 PHP Function: fileowner

‘php-template-fileperms’
 Menu: PHP → Templates → File System → File System (File_put_contents → Fseek) → fileperms
 Keybinding: none
 PHP Function: fileperms

‘php-template-filename’
 Menu: PHP → Templates → File System → File System (File_put_contents → Fseek) → filename
 Keybinding: none
 PHP Function: filename

‘php-template-filesize’
 Menu: PHP → Templates → File System → File System (File_put_contents → Fseek) → filesize
 Keybinding: none
 PHP Function: filesize

‘php-template-filetype’
 Menu: PHP → Templates → File System → File System (File_put_contents → Fseek) → filetype
 Keybinding: none
 PHP Function: filetype

‘php-template-flock’
 Menu: PHP → Templates → File System → File System (File_put_contents → Fseek) → flock
 Keybinding: none
 PHP Function: flock

```
'php-template-fnmatch'
  Menu: PHP → Templates → File System → File System (File_put_contents
  → Fseek) → fnmatch
  Keybinding: none
  PHP Function: fnmatch

'php-template-fopen'
  Menu: PHP → Templates → File System → File System (File_put_contents
  → Fseek) → fopen
  Keybinding: none
  PHP Function: fopen

'php-template-fpassthru'
  Menu: PHP → Templates → File System → File System (File_put_contents
  → Fseek) → fpassthru
  Keybinding: none
  PHP Function: fpassthru

'php-template-fputcsv'
  Menu: PHP → Templates → File System → File System (File_put_contents
  → Fseek) → fputcsv
  Keybinding: none
  PHP Function: fputcsv

'php-template-fwrite'
  Menu: PHP → Templates → File System → File System (File_put_contents
  → Fseek) → fputs
  Keybinding: none
  PHP Function: fputs

'php-template-fread'
  Menu: PHP → Templates → File System → File System (File_put_contents
  → Fseek) → fread
  Keybinding: none
  PHP Function: fread

'php-template-fseek'
  Menu: PHP → Templates → File System → File System (File_put_contents
  → Fseek) → fseek
  Keybinding: none
  PHP Function: fseek

'php-template-fstat'
  Menu: PHP → Templates → File System → File System (Fstat → Pathinfo)
  → fstat
  Keybinding: none
  PHP Function: fstat

'php-template-ftell'
  Menu: PHP → Templates → File System → File System (Fstat → Pathinfo)
  → ftell
```

Keybinding: *none*
PHP Function: *fstat*

'php-template-ftruncate'
 Menu: *PHP* → *Templates* → *File System* → *File System (Fstat → Pathinfo)*
 → *ftruncate*
 Keybinding: *none*
 PHP Function: *ftruncate*

'php-template-fwrite'
 Menu: *PHP* → *Templates* → *File System* → *File System (Fstat → Pathinfo)*
 → *fwrite*
 Keybinding: *none*
 PHP Function: *fwrite*

'php-template-glob'
 Menu: *PHP* → *Templates* → *File System* → *File System (Fstat → Pathinfo)*
 → *glob*
 Keybinding: *none*
 PHP Function: *glob*

'php-template-is-dir'
 Menu: *PHP* → *Templates* → *File System* → *File System (Fstat → Pathinfo)*
 → *is_dir*
 Keybinding: *none*
 PHP Function: *is_dir*

'php-template-is-executable'
 Menu: *PHP* → *Templates* → *File System* → *File System (Fstat → Pathinfo)*
 → *is_executable*
 Keybinding: *none*
 PHP Function: *is_executable*

'php-template-is-file'
 Menu: *PHP* → *Templates* → *File System* → *File System (Fstat → Pathinfo)*
 → *is_file*
 Keybinding: *none*
 PHP Function: *is_file*

'php-template-is-link'
 Menu: *PHP* → *Templates* → *File System* → *File System (Fstat → Pathinfo)*
 → *is_link*
 Keybinding: *none*
 PHP Function: *is_link*

'php-template-is-readable'
 Menu: *PHP* → *Templates* → *File System* → *File System (Fstat → Pathinfo)*
 → *is_readable*
 Keybinding: *none*
 PHP Function: *is_readable*

```
'php-template-is-uploaded-file'
    Menu: PHP → Templates → File System → File System (Fstat → Pathinfo)
    → is_uploaded_file
    Keybinding: none
    PHP Function: is_uploaded_file

'php-template-is-writable'
    Menu: PHP → Templates → File System → File System (Fstat → Pathinfo)
    → is_writable
    Keybinding: none
    PHP Function: is_writable

'php-template-is-writeable'
    Menu: PHP → Templates → File System → File System (Fstat → Pathinfo)
    → is_writeable
    Keybinding: none
    PHP Function: is_writeable

'php-template-link'
    Menu: PHP → Templates → File System → File System (Fstat → Pathinfo)
    → link
    Keybinding: none
    PHP Function: link

'php-template-linkinfo'
    Menu: PHP → Templates → File System → File System (Fstat → Pathinfo)
    → linkinfo
    Keybinding: none
    PHP Function: linkinfo

'php-template-lstat'
    Menu: PHP → Templates → File System → File System (Fstat → Pathinfo)
    → lstat
    Keybinding: none
    PHP Function: lstat

'php-template-mkdir'
    Menu: PHP → Templates → File System → File System (Fstat → Pathinfo)
    → mkdir
    Keybinding: none
    PHP Function: mkdir

'php-template-move-uploaded-file'
    Menu: PHP → Templates → File System → File System (Fstat → Pathinfo)
    → move_uploaded_file
    Keybinding: none
    PHP Function: move_uploaded_file

'php-template-parse-ini-file'
    Menu: PHP → Templates → File System → File System (Fstat → Pathinfo)
    → parse_ini_file
```

Keybinding: none
PHP Function: parse_ini_file

'php-template-pathinfo'
 Menu: *PHP* → *Templates* → *File System* → *File System (Fstat → Pathinfo)*
 → *pathinfo*
 Keybinding: none
 PHP Function: pathinfo

'php-template-pclose'
 Menu: *PHP* → *Templates* → *File System* → *File System (Pclose → Unlink)*
 → *pclose*
 Keybinding: none
 PHP Function: pclose

'php-template-popen'
 Menu: *PHP* → *Templates* → *File System* → *File System (Pclose → Unlink)*
 → *popen*
 Keybinding: none
 PHP Function: popen

'php-template-readfile'
 Menu: *PHP* → *Templates* → *File System* → *File System (Pclose → Unlink)*
 → *readfile*
 Keybinding: none
 PHP Function: readfile

'php-template-readlink'
 Menu: *PHP* → *Templates* → *File System* → *File System (Pclose → Unlink)*
 → *readlink*
 Keybinding: none
 PHP Function: readlink

'php-template-realpath'
 Menu: *PHP* → *Templates* → *File System* → *File System (Pclose → Unlink)*
 → *realpath*
 Keybinding: none
 PHP Function: realpath

'php-template-rename'
 Menu: *PHP* → *Templates* → *File System* → *File System (Pclose → Unlink)*
 → *rename*
 Keybinding: none
 PHP Function: rename

'php-template-rewind'
 Menu: *PHP* → *Templates* → *File System* → *File System (Pclose → Unlink)*
 → *rewind*
 Keybinding: none
 PHP Function: rewind

```
'php-template-rmdir'
    Menu: PHP → Templates → File System → File System (Pclose → Unlink)
    → rmdir
    Keybinding: none
    PHP Function: rmdir

'php-template-stat'
    Menu: PHP → Templates → File System → File System (Pclose → Unlink)
    → stat
    Keybinding: none
    PHP Function: stat

'php-template-symlink'
    Menu: PHP → Templates → File System → File System (Pclose → Unlink)
    → symlink
    Keybinding: none
    PHP Function: symlink

'php-template-tempnam'
    Menu: PHP → Templates → File System → File System (Pclose → Unlink)
    → tempnam
    Keybinding: none
    PHP Function: tempnam

'php-template-tmpfile'
    Menu: PHP → Templates → File System → File System (Pclose → Unlink)
    → tmpfile
    Keybinding: none
    PHP Function: tmpfile

'php-template-touch'
    Menu: PHP → Templates → File System → File System (Pclose → Unlink)
    → touch
    Keybinding: none
    PHP Function: touch

'php-template-umask'
    Menu: PHP → Templates → File System → File System (Pclose → Unlink)
    → umask
    Keybinding: none
    PHP Function: umask

'php-template-unlink'
    Menu: PHP → Templates → File System → File System (Pclose → Unlink)
    → unlink
    Keybinding: none
    PHP Function: unlink
```

8.2.10 Functions

'php-template-call-user-func-array'
 Menu: *PHP* → *Templates* → *Functions* → *call_user_func_array*
 Keybinding: *none*
 PHP Function: call_user_func_array

'php-template-call-user-func'
 Menu: *PHP* → *Templates* → *Functions* → *call_user_func*
 Keybinding: *none*
 PHP Function: call_user_func

'php-template-create-function'
 Menu: *PHP* → *Templates* → *Functions* → *create_function*
 Keybinding: *none*
 PHP Function: create_function

'php-template-func-get-arg'
 Menu: *PHP* → *Templates* → *Functions* → *func_get_arg*
 Keybinding: *none*
 PHP Function: func_get_arg

'php-template-func-get-args'
 Menu: *PHP* → *Templates* → *Functions* → *func_get_args*
 Keybinding: *none*
 PHP Function: func_get_args

'php-template-func-num-args'
 Menu: *PHP* → *Templates* → *Functions* → *func_num_args*
 Keybinding: *none*
 PHP Function: func_num_args

'php-template-function-exists'
 Menu: *PHP* → *Templates* → *Functions* → *function_exists*
 Keybinding: *none*
 PHP Function: function_exists

'php-template-get-defined-functions'
 Menu: *PHP* → *Templates* → *Functions* → *get_defined_functions*
 Keybinding: *none*
 PHP Function: get_defined_functions

'php-template-register-shutdown-function'
 Menu: *PHP* → *Templates* → *Functions* → *register_shutdown_function*
 Keybinding: *none*
 PHP Function: register_shutdown_function

'php-template-register-tick-function'
 Menu: *PHP* → *Templates* → *Functions* → *register_tick_function*
 Keybinding: *none*
 PHP Function: register_tick_function

'php-template-unregister-tick-function'
Menu: *PHP* → *Templates* → *Functions* → *unregister_tick_function*
Keybinding: *none*
PHP Function: *unregister_tick_function*

8.2.11 Image

'php-template-gd-info'
Menu: *PHP* → *Templates* → *Image* → *Image* (*gd_info* → *imagecolormatch*)
→ *gd_info*
Keybinding: *none*
PHP Function: *gd_info*

'php-template-getimagesize'
Menu: *PHP* → *Te01-Fu01-Image* → *Image* → *Image* (*gd_info* → *imagecolormatch*) → *getimagesize*
Keybinding: *none*
PHP Function: *getimagesize*

'php-template-image-type-to-extension'
Menu: *PHP* → *Te01-Fu01-Mail* → *Image* → *Image* (*gd_info* → *imagecolormatch*) → *image_type_to_extension*
Keybinding: *none*
PHP Function: *image_type_to_extension*

'php-template-image-type-to-mime-type'
Menu: *PHP* → *Te01-Fu01-Functions* → *Image* → *Image* (*gd_info* → *imagecolormatch*) → *image_type_to_mime_type*
Keybinding: *none*
PHP Function: *image_type_to_mime_type*

'php-template-image2wbmp'
Menu: *PHP* → *Te01-Functions* → *Image* → *Image* (*gd_info* → *imagecolormatch*) → *image2wbmp*
Keybinding: *none*
PHP Function: *image2wbmp*

'php-template-imagealphablending'
Menu: *PHP* → *Templates* → *Image* → *Image* (*gd_info* → *imagecolormatch*) → *imagealphablending*
Keybinding: *none*
PHP Function: *imagealphablending*

'php-template-imageantialias'
Menu: *PHP* → *Te01-Fu01-Image* → *Image* → *Image* (*gd_info* → *imagecolormatch*) → *imageantialias*
Keybinding: *none*
PHP Function: *imageantialias*

'php-template-imagearc'
Menu: *PHP* → *Te01-Fu01-Mail* → *Image* → *Image (gd_info → imagecolormatch)* → *imagearc*
Keybinding: *none*
PHP Function: *imagearc*

'php-template-imagechar'
Menu: *PHP* → *Te01-Fu01-Functions* → *Image* → *Image (gd_info → imagecolormatch)* → *imagechar*
Keybinding: *none*
PHP Function: *imagechar*

'php-template-imagecharup'
Menu: *PHP* → *Te01-Functions* → *Image* → *Image (gd_info → imagecolormatch)* → *imagecharup*
Keybinding: *none*
PHP Function: *imagecharup*

'php-template-imagecolorallocate'
Menu: *PHP* → *Templates* → *Image* → *Image (gd_info → imagecolormatch)* → *imagecolorallocate*
Keybinding: *none*
PHP Function: *imagecolorallocate*

'php-template-imagecolorallocatealpha'
Menu: *PHP* → *Te01-Fu01-Image* → *Image* → *Image (gd_info → imagecolormatch)* → *imagecolorallocatealpha*
Keybinding: *none*
PHP Function: *imagecolorallocatealpha*

'php-template-imagecolorat'
Menu: *PHP* → *Te01-Fu01-Mail* → *Image* → *Image (gd_info → imagecolormatch)* → *imagecolorat*
Keybinding: *none*
PHP Function: *imagecolorat*

'php-template-imagecolorclosest'
Menu: *PHP* → *Te01-Fu01-Functions* → *Image* → *Image (gd_info → imagecolormatch)* → *imagecolorclosest*
Keybinding: *none*
PHP Function: *imagecolorclosest*

'php-template-imagecolorclosestalpha'
Menu: *PHP* → *Te01-Functions* → *Image* → *Image (gd_info → imagecolormatch)* → *imagecolorclosestalpha*
Keybinding: *none*
PHP Function: *imagecolorclosestalpha*

'php-template-imagecolorclosesthwb'
Menu: *PHP* → *Templates* → *Image* → *Image (gd_info → imagecolormatch)* → *imagecolorclosesthwb*

Keybinding: *none*
PHP Function: `imagecolorclosesthw`

'php-template-imagecolordeallocate'
Menu: *PHP* → *Te01-Fu01-Image* → *Image* → *Image (gd_info → imagecolormatch)* → *imagecolordeallocate*
Keybinding: *none*
PHP Function: `imagecolordeallocate`

'php-template-imagecolorexact'
Menu: *PHP* → *Te01-Fu01-Mail* → *Image* → *Image (gd_info → imagecolormatch)* → *imagecolorexact*
Keybinding: *none*
PHP Function: `imagecolorexact`

'php-template-imagecolorexactalpha'
Menu: *PHP* → *Te01-Fu01-Functions* → *Image* → *Image (gd_info → imagecolormatch)* → *imagecolorexactalpha*
Keybinding: *none*
PHP Function: `imagecolorexactalpha`

'php-template-imagecolormatch'
Menu: *PHP* → *Te01-Functions* → *Image* → *Image (gd_info → imagecolormatch)* → *imagecolormatch*
Keybinding: *none*
PHP Function: `imagecolormatch`

'php-template-imagecolorresolve'
Menu: *PHP* → *Templates* → *Image* → *Image (imagecolorresolve → imagecreatefromstring)* → *imagecolorresolve*
Keybinding: *none*
PHP Function: `imagecolorresolve`

'php-template-imagecolorresolvealpha'
Menu: *PHP* → *Te01-Fu01-Image* → *Image* → *Image (imagecolorresolve → imagecreatefromstring)* → *imagecolorresolvealpha*
Keybinding: *none*
PHP Function: `imagecolorresolvealpha`

'php-template-imagecolorset'
Menu: *PHP* → *Te01-Fu01-Mail* → *Image* → *Image (imagecolorresolve → imagecreatefromstring)* → *imagecolorset*
Keybinding: *none*
PHP Function: `imagecolorset`

'php-template-imagecolorsforindex'
Menu: *PHP* → *Te01-Fu01-Functions* → *Image* → *Image (imagecolorresolve → imagecreatefromstring)* → *imagecolorsforindex*
Keybinding: *none*
PHP Function: `imagecolorsforindex`

'php-template-imagecolorstotal'
Menu: *PHP* → *Te01-Functions* → *Image* → *Image* (*imagecolorresolve* → *imagecreatefromstring*) → *imagecolorstotal*
Keybinding: *none*
PHP Function: *imagecolorstotal*

'php-template-imagecolortransparent'
Menu: *PHP* → *Templates* → *Image* → *Image* (*imagecolorresolve* → *imagecreatefromstring*) → *imagecolortransparent*
Keybinding: *none*
PHP Function: *imagecolortransparent*

'php-template-imageconvolution'
Menu: *PHP* → *Te01-Fu01-Image* → *Image* → *Image* (*imagecolorresolve* → *imagecreatefromstring*) → *imageconvolution*
Keybinding: *none*
PHP Function: *imageconvolution*

'php-template-imagecopy'
Menu: *PHP* → *Te01-Fu01-Mail* → *Image* → *Image* (*imagecolorresolve* → *imagecreatefromstring*) → *imagecopy*
Keybinding: *none*
PHP Function: *imagecopy*

'php-template-imagecopymerge'
Menu: *PHP* → *Te01-Fu01-Functions* → *Image* → *Image* (*imagecolorresolve* → *imagecreatefromstring*) → *imagecopymerge*
Keybinding: *none*
PHP Function: *imagecopymerge*

'php-template-imagecopymergegray'
Menu: *PHP* → *Te01-Functions* → *Image* → *Image* (*imagecolorresolve* → *imagecreatefromstring*) → *imagecopymergegray*
Keybinding: *none*
PHP Function: *imagecopymergegray*

'php-template-imagecopyresampled'
Menu: *PHP* → *Templates* → *Image* → *Image* (*imagecolorresolve* → *imagecreatefromstring*) → *imagecopyresampled*
Keybinding: *none*
PHP Function: *imagecopyresampled*

'php-template-imagecopyresized'
Menu: *PHP* → *Te01-Fu01-Image* → *Image* → *Image* (*imagecolorresolve* → *imagecreatefromstring*) → *imagecopyresized*
Keybinding: *none*
PHP Function: *imagecopyresized*

'php-template-imagecreate'
Menu: *PHP* → *Te01-Fu01-Mail* → *Image* → *Image* (*imagecolorresolve* → *imagecreatefromstring*) → *imagecreate*

Keybinding: *none*

PHP Function: `imagecreate`

`'php-template-imagecreatefromgd2'`

Menu: *PHP* → *Te01-Fu01-Functions* → *Image* → *Image* (*imagecolorresolve* → *imagecreatefromstring*) → *imagecreatefromgd2*

Keybinding: *none*

PHP Function: `imagecreatefromgd2`

`'php-template-imagecreatefromgd2part'`

Menu: *PHP* → *Te01-Functions* → *Image* → *Image* (*imagecolorresolve* → *imagecreatefromstring*) → *imagecreatefromgd2part*

Keybinding: *none*

PHP Function: `imagecreatefromgd2part`

`'php-template-imagecreatefromgd'`

Menu: *PHP* → *Templates* → *Image* → *Image* (*imagecolorresolve* → *imagecreatefromstring*) → *imagecreatefromgd*

Keybinding: *none*

PHP Function: `imagecreatefromgd`

`'php-template-imagecreatefromgif'`

Menu: *PHP* → *Te01-Fu01-Image* → *Image* → *Image* (*imagecolorresolve* → *imagecreatefromstring*) → *imagecreatefromgif*

Keybinding: *none*

PHP Function: `imagecreatefromgif`

`'php-template-imagecreatefromjpeg'`

Menu: *PHP* → *Te01-Fu01-Mail* → *Image* → *Image* (*imagecolorresolve* → *imagecreatefromstring*) → *imagecreatefromjpeg*

Keybinding: *none*

PHP Function: `imagecreatefromjpeg`

`'php-template-imagecreatefrompng'`

Menu: *PHP* → *Te01-Fu01-Functions* → *Image* → *Image* (*imagecolorresolve* → *imagecreatefromstring*) → *imagecreatefrompng*

Keybinding: *none*

PHP Function: `imagecreatefrompng`

`'php-template-imagecreatefromstring'`

Menu: *PHP* → *Te01-Functions* → *Image* → *Image* (*imagecolorresolve* → *imagecreatefromstring*) → *imagecreatefromstring*

Keybinding: *none*

PHP Function: `imagecreatefromstring`

`'php-template-imagecreatefromwbmp'`

Menu: *PHP* → *Templates* → *Image* → *Image* (*imagecreatefromwbmp* → *imagegd2*) → *imagecreatefromwbmp*

Keybinding: *none*

PHP Function: `imagecreatefromwbmp`

'php-template-imagecreatefromxbm'
Menu: *PHP* → *Te01-Fu01-Image* → *Image* → *Image* (*imagecreatefromwbmp* → *imagegd2*) → *imagecreatefromxbm*
Keybinding: *none*
PHP Function: *imagecreatefromxbm*

'php-template-imagecreatefromxpm'
Menu: *PHP* → *Te01-Fu01-Mail* → *Image* → *Image* (*imagecreatefromwbmp* → *imagegd2*) → *imagecreatefromxpm*
Keybinding: *none*
PHP Function: *imagecreatefromxpm*

'php-template-imagecreatetruecolor'
Menu: *PHP* → *Te01-Fu01-Functions* → *Image* → *Image* (*imagecreatefromwbmp* → *imagegd2*) → *imagecreatetruecolor*
Keybinding: *none*
PHP Function: *imagecreatetruecolor*

'php-template-imagedashedline'
Menu: *PHP* → *Te01-Functions* → *Image* → *Image* (*imagecreatefromwbmp* → *imagegd2*) → *imagedashedline*
Keybinding: *none*
PHP Function: *imagedashedline*

'php-template-imagedestroy'
Menu: *PHP* → *Templates* → *Image* → *Image* (*imagecreatefromwbmp* → *imagegd2*) → *imagedestroy*
Keybinding: *none*
PHP Function: *imagedestroy*

'php-template-imageellipse'
Menu: *PHP* → *Te01-Fu01-Image* → *Image* → *Image* (*imagecreatefromwbmp* → *imagegd2*) → *imageellipse*
Keybinding: *none*
PHP Function: *imageellipse*

'php-template-imagefill'
Menu: *PHP* → *Te01-Fu01-Mail* → *Image* → *Image* (*imagecreatefromwbmp* → *imagegd2*) → *imagefill*
Keybinding: *none*
PHP Function: *imagefill*

'php-template-imagefilledarc'
Menu: *PHP* → *Te01-Fu01-Functions* → *Image* → *Image* (*imagecreatefromwbmp* → *imagegd2*) → *imagefilledarc*
Keybinding: *none*
PHP Function: *imagefilledarc*

'php-template-imagefilledellipse'
Menu: *PHP* → *Te01-Functions* → *Image* → *Image* (*imagecreatefromwbmp* → *imagegd2*) → *imagefilledellipse*

Keybinding: *none*
PHP Function: `imagefilledellipse`

'php-template-imagefilledpolygon'
Menu: *PHP* → *Templates* → *Image* → *Image* (`imagecreatefromwbmp` → `imagegd2`) → `imagefilledpolygon`
Keybinding: *none*
PHP Function: `imagefilledpolygon`

'php-template-imagefilledrectangle'
Menu: *PHP* → *Te01-Fu01-Image* → *Image* → *Image* (`imagecreatefromwbmp` → `imagegd2`) → `imagefilledrectangle`
Keybinding: *none*
PHP Function: `imagefilledrectangle`

'php-template-imagefilltoborder'
Menu: *PHP* → *Te01-Fu01-Mail* → *Image* → *Image* (`imagecreatefromwbmp` → `imagegd2`) → `imagefilltoborder`
Keybinding: *none*
PHP Function: `imagefilltoborder`

'php-template-imagefilter'
Menu: *PHP* → *Te01-Fu01-Functions* → *Image* → *Image* (`imagecreatefromwbmp` → `imagegd2`) → `imagefilter`
Keybinding: *none*
PHP Function: `imagefilter`

'php-template-imagefontheight'
Menu: *PHP* → *Te01-Functions* → *Image* → *Image* (`imagecreatefromwbmp` → `imagegd2`) → `imagefontheight`
Keybinding: *none*
PHP Function: `imagefontheight`

'php-template-imagefontwidth'
Menu: *PHP* → *Templates* → *Image* → *Image* (`imagecreatefromwbmp` → `imagegd2`) → `imagefontwidth`
Keybinding: *none*
PHP Function: `imagefontwidth`

'php-template-imageftbbox'
Menu: *PHP* → *Te01-Fu01-Image* → *Image* → *Image* (`imagecreatefromwbmp` → `imagegd2`) → `imageftbbox`
Keybinding: *none*
PHP Function: `imageftbbox`

'php-template-imagefttext'
Menu: *PHP* → *Te01-Fu01-Mail* → *Image* → *Image* (`imagecreatefromwbmp` → `imagegd2`) → `imagefttext`
Keybinding: *none*
PHP Function: `imagefttext`

'php-template-imagegammacorrect'
Menu: *PHP* → *Te01-Fu01-Functions* → *Image* → *Image* (*imagecreatefromwbmp* → *imagegd2*) → *imagegammacorrect*
Keybinding: *none*
PHP Function: *imagegammacorrect*

'php-template-imagegd2'
Menu: *PHP* → *Te01-Functions* → *Image* → *Image* (*imagecreatefromwbmp* → *imagegd2*) → *imagegd2*
Keybinding: *none*
PHP Function: *imagegd2*

'php-template-imagegd'
Menu: *PHP* → *Templates* → *Image* → *Image* (*imagegd* → *imagerotate*) → *imagegd*
Keybinding: *none*
PHP Function: *imagegd*

'php-template-imagegif'
Menu: *PHP* → *Te01-Fu01-Image* → *Image* → *Image* (*imagegd* → *imagerotate*) → *imagegif*
Keybinding: *none*
PHP Function: *imagegif*

'php-template-imageinterlace'
Menu: *PHP* → *Te01-Fu01-Mail* → *Image* → *Image* (*imagegd* → *imagerotate*) → *imageinterlace*
Keybinding: *none*
PHP Function: *imageinterlace*

'php-template-imageistruecolor'
Menu: *PHP* → *Te01-Fu01-Functions* → *Image* → *Image* (*imagegd* → *imagerotate*) → *imageistruecolor*
Keybinding: *none*
PHP Function: *imageistruecolor*

'php-template-imagejpeg'
Menu: *PHP* → *Te01-Functions* → *Image* → *Image* (*imagegd* → *imagerotate*) → *imagejpeg*
Keybinding: *none*
PHP Function: *imagejpeg*

'php-template-imagelayereffect'
Menu: *PHP* → *Templates* → *Image* → *Image* (*imagegd* → *imagerotate*) → *imagelayereffect*
Keybinding: *none*
PHP Function: *imagelayereffect*

'php-template-imageline'
Menu: *PHP* → *Te01-Fu01-Image* → *Image* → *Image* (*imagegd* → *imagerotate*) → *imageline*

Keybinding: *none*

PHP Function: *imageline*

‘php-template-imageunloadfont’

Menu: *PHP* → *Te01-Fu01-Mail* → *Image* → *Image (imagegd → imagerotate)* → *imageunloadfont*

Keybinding: *none*

PHP Function: *imageunloadfont*

‘php-template-imagepalettetcopy’

Menu: *PHP* → *Te01-Fu01-Functions* → *Image* → *Image (imagegd → imagerotate)* → *imagepalettetcopy*

Keybinding: *none*

PHP Function: *imagepalettetcopy*

‘php-template-imagepng’

Menu: *PHP* → *Te01-Functions* → *Image* → *Image (imagegd → imagerotate)* → *imagepng*

Keybinding: *none*

PHP Function: *imagepng*

‘php-template-imagepolygon’

Menu: *PHP* → *Templates* → *Image* → *Image (imagegd → imagerotate)* → *imagepolygon*

Keybinding: *none*

PHP Function: *imagepolygon*

‘php-template-imagepsbbox’

Menu: *PHP* → *Te01-Fu01-Image* → *Image* → *Image (imagegd → imagerotate)* → *imagepsbbox*

Keybinding: *none*

PHP Function: *imagepsbbox*

‘php-template-imagepsencodefont’

Menu: *PHP* → *Te01-Fu01-Mail* → *Image* → *Image (imagegd → imagerotate)* → *imagepsencodefont*

Keybinding: *none*

PHP Function: *imagepsencodefont*

‘php-template-imagepsextendfont’

Menu: *PHP* → *Te01-Fu01-Functions* → *Image* → *Image (imagegd → imagerotate)* → *imagepsextendfont*

Keybinding: *none*

PHP Function: *imagepsextendfont*

‘php-template-imagepsfreefont’

Menu: *PHP* → *Te01-Functions* → *Image* → *Image (imagegd → imagerotate)* → *imagepsfreefont*

Keybinding: *none*

PHP Function: *imagepsfreefont*

```
'php-template-imagepsloadfont'
    Menu: PHP → Templates → Image → Image (imagegd → imagerotate) → imagepsloadfont
    Keybinding: none
    PHP Function: imagepsloadfont

'php-template-imagepsslantfont'
    Menu: PHP → Te01-Fu01-Image → Image → Image (imagegd → imagerotate) → imagepsslantfont
    Keybinding: none
    PHP Function: imagepsslantfont

'php-template-imagepstext'
    Menu: PHP → Te01-Fu01-Mail → Image → Image (imagegd → imagerotate) → imagepstext
    Keybinding: none
    PHP Function: imagepstext

'php-template-imagerectangle'
    Menu: PHP → Te01-Fu01-Functions → Image → Image (imagegd → imagerotate) → imagerectangle
    Keybinding: none
    PHP Function: imagerectangle

'php-template-imagerotate'
    Menu: PHP → Te01-Functions → Image → Image (imagegd → imagerotate) → imagerotate
    Keybinding: none
    PHP Function: imagerotate

'php-template-imagesavealpha'
    Menu: PHP → Templates → Image → Image (imagesavealpha → png2wbmp) → imagesavealpha
    Keybinding: none
    PHP Function: imagesavealpha

'php-template-imagesetbrush'
    Menu: PHP → Te01-Fu01-Image → Image → Image (imagesavealpha → png2wbmp) → imagesetbrush
    Keybinding: none
    PHP Function: imagesetbrush

'php-template-imagesetpixel'
    Menu: PHP → Te01-Fu01-Mail → Image → Image (imagesavealpha → png2wbmp) → imagesetpixel
    Keybinding: none
    PHP Function: imagesetpixel

'php-template-imagesetstyle'
    Menu: PHP → Te01-Fu01-Functions → Image → Image (imagesavealpha → png2wbmp) → imagesetstyle
```

Keybinding: *none*

PHP Function: *imagesetstyle*

'php-template-imagesetthickness'

Menu: *PHP* → *Te01-Functions* → *Image* → *Image* (*imagesavealpha* → *png2wbmp*) → *imagesetthickness*

Keybinding: *none*

PHP Function: *imagesetthickness*

'php-template-imagesettile'

Menu: *PHP* → *Templates* → *Image* → *Image* (*imagesavealpha* → *png2wbmp*) → *imagesettile*

Keybinding: *none*

PHP Function: *imagesettile*

'php-template-imagestring'

Menu: *PHP* → *Te01-Fu01-Image* → *Image* → *Image* (*imagesavealpha* → *png2wbmp*) → *imagestring*

Keybinding: *none*

PHP Function: *imagestring*

'php-template-imagestringup'

Menu: *PHP* → *Te01-Fu01-Mail* → *Image* → *Image* (*imagesavealpha* → *png2wbmp*) → *imagestringup*

Keybinding: *none*

PHP Function: *imagestringup*

'php-template-imagesx'

Menu: *PHP* → *Te01-Fu01-Functions* → *Image* → *Image* (*imagesavealpha* → *png2wbmp*) → *imagesx*

Keybinding: *none*

PHP Function: *imagesx*

'php-template-imagesy'

Menu: *PHP* → *Te01-Functions* → *Image* → *Image* (*imagesavealpha* → *png2wbmp*) → *imagesy*

Keybinding: *none*

PHP Function: *imagesy*

'php-template-imagetruecolorpalette'

Menu: *PHP* → *Templates* → *Image* → *Image* (*imagesavealpha* → *png2wbmp*) → *imagetruecolorpalette*

Keybinding: *none*

PHP Function: *imagetruecolorpalette*

'php-template-imagettfbbox'

Menu: *PHP* → *Te01-Fu01-Image* → *Image* → *Image* (*imagesavealpha* → *png2wbmp*) → *imagettfbbox*

Keybinding: *none*

PHP Function: *imagettfbbox*

```
'php-template-imagetfttext'
  Menu: PHP → Te01-Fu01-Mail → Image → Image (imagesavealpha →
  png2wbmp) → imagettfttext
  Keybinding: none
  PHP Function: imagettfttext

'php-template-imagetypes'
  Menu: PHP → Te01-Fu01-Functions → Image → Image (imagesavealpha →
  png2wbmp) → imagetypes
  Keybinding: none
  PHP Function: imagetypes

'php-template-imagewbmp'
  Menu: PHP → Te01-Functions → Image → Image (imagesavealpha →
  png2wbmp) → imagewbmp
  Keybinding: none
  PHP Function: imagewbmp

'php-template-imagexbm'
  Menu: PHP → Templates → Image → Image (imagesavealpha → png2wbmp)
  → imagexbm
  Keybinding: none
  PHP Function: imagexbm

'php-template-iptcembed'
  Menu: PHP → Te01-Fu01-Image → Image → Image (imagesavealpha →
  png2wbmp) → iptcembed
  Keybinding: none
  PHP Function: iptcembed

'php-template-iptcparse'
  Menu: PHP → Te01-Fu01-Mail → Image → Image (imagesavealpha →
  png2wbmp) → iptcparse
  Keybinding: none
  PHP Function: iptcparse

'php-template-jpeg2wbmp'
  Menu: PHP → Te01-Fu01-Functions → Image → Image (imagesavealpha →
  png2wbmp) → jpeg2wbmp
  Keybinding: none
  PHP Function: jpeg2wbmp

'php-template-png2wbmp'
  Menu: PHP → Te01-Functions → Image → Image (imagesavealpha →
  png2wbmp) → png2wbmp
  Keybinding: none
  PHP Function: png2wbmp
```

8.2.12 Mail

'php-template-ezmlm-hash'
 Menu: *PHP* → *Templates* → *Mail* → *ezmlm_hash*
 Keybinding: *none*
 PHP Function: *ezmlm_hash*

'php-template-mail'
 Menu: *PHP* → *Templates* → *Mail* → *mail*
 Keybinding: *none*
 PHP Function: *mail*

8.2.13 Mathematical

'php-template-abs'
 Menu: *PHP* → *Templates* → *Mathematical* → *Mathematical (abs → floor)* → *abs*
 Keybinding: *none*
 PHP Function: *abs*

'php-template-acos'
 Menu: *PHP* → *Templates* → *Mathematical* → *Mathematical (abs → floor)* → *acos*
 Keybinding: *none*
 PHP Function: *acos*

'php-template-acosh'
 Menu: *PHP* → *Templates* → *Mathematical* → *Mathematical (abs → floor)* → *acosh*
 Keybinding: *none*
 PHP Function: *acosh*

'php-template-asin'
 Menu: *PHP* → *Templates* → *Mathematical* → *Mathematical (abs → floor)* → *asin*
 Keybinding: *none*
 PHP Function: *asin*

'php-template-asinh'
 Menu: *PHP* → *Templates* → *Mathematical* → *Mathematical (abs → floor)* → *asinh*
 Keybinding: *none*
 PHP Function: *asinh*

'php-template-atan2'
 Menu: *PHP* → *Templates* → *Mathematical* → *Mathematical (abs → floor)* → *atan2*
 Keybinding: *none*
 PHP Function: *atan2*

'php-template-atan'
Menu: *PHP* → *Templates* → *Mathematical* → *Mathematical (abs → floor)* → *atan*
Keybinding: *none*
PHP Function: atan

'php-template-atanh'
Menu: *PHP* → *Templates* → *Mathematical* → *Mathematical (abs → floor)* → *atanh*
Keybinding: *none*
PHP Function: atanh

'php-template-base-convert'
Menu: *PHP* → *Templates* → *Mathematical* → *Mathematical (abs → floor)* → *base_convert*
Keybinding: *none*
PHP Function: base_convert

'php-template-bindec'
Menu: *PHP* → *Templates* → *Mathematical* → *Mathematical (abs → floor)* → *bindec*
Keybinding: *none*
PHP Function: bindec

'php-template-ceil'
Menu: *PHP* → *Templates* → *Mathematical* → *Mathematical (abs → floor)* → *ceil*
Keybinding: *none*
PHP Function: ceil

'php-template-cos'
Menu: *PHP* → *Templates* → *Mathematical* → *Mathematical (abs → floor)* → *cos*
Keybinding: *none*
PHP Function: cos

'php-template-cosh'
Menu: *PHP* → *Templates* → *Mathematical* → *Mathematical (abs → floor)* → *cosh*
Keybinding: *none*
PHP Function: cosh

'php-template-decbin'
Menu: *PHP* → *Templates* → *Mathematical* → *Mathematical (abs → floor)* → *decbin*
Keybinding: *none*
PHP Function: decbin

'php-template-dechex'
Menu: *PHP* → *Templates* → *Mathematical* → *Mathematical (abs → floor)* → *dechex*

Keybinding: *none*
PHP Function: dechex

'php-template-decoct'
Menu: *PHP* → *Templates* → *Mathematical* → *Mathematical (abs → floor)* → *decoct*
Keybinding: *none*
PHP Function: decoct

'php-template-deg2rad'
Menu: *PHP* → *Templates* → *Mathematical* → *Mathematical (abs → floor)* → *deg2rad*
Keybinding: *none*
PHP Function: deg2rad

'php-template-exp'
Menu: *PHP* → *Templates* → *Mathematical* → *Mathematical (abs → floor)* → *exp*
Keybinding: *none*
PHP Function: exp

'php-template-expm1'
Menu: *PHP* → *Templates* → *Mathematical* → *Mathematical (abs → floor)* → *expm1*
Keybinding: *none*
PHP Function: expm1

'php-template-floor'
Menu: *PHP* → *Templates* → *Mathematical* → *Mathematical (abs → floor)* → *floor*
Keybinding: *none*
PHP Function: floor

'php-template-fmod'
Menu: *PHP* → *Templates* → *Mathematical* → *Mathematical (fmod → rad2deg)* → *fmod*
Keybinding: *none*
PHP Function: fmod

'php-template-getrandmax'
Menu: *PHP* → *Templates* → *Mathematical* → *Mathematical (fmod → rad2deg)* → *getrandmax*
Keybinding: *none*
PHP Function: getrandmax

'php-template-hexdec'
Menu: *PHP* → *Templates* → *Mathematical* → *Mathematical (fmod → rad2deg)* → *hexdec*
Keybinding: *none*
PHP Function: hexdec

'php-template-hypot'
Menu: *PHP* → *Templates* → *Mathematical* → *Mathematical* (*fmod* → *rad2deg*)
→ *hypot*
Keybinding: *none*
PHP Function: *hypot*

'php-template-is-finite'
Menu: *PHP* → *Templates* → *Mathematical* → *Mathematical* (*fmod* → *rad2deg*)
→ *is_finite*
Keybinding: *none*
PHP Function: *is_finite*

'php-template-is-infinite'
Menu: *PHP* → *Templates* → *Mathematical* → *Mathematical* (*fmod* → *rad2deg*)
→ *is_infinite*
Keybinding: *none*
PHP Function: *is_infinite*

'php-template-is-nan'
Menu: *PHP* → *Templates* → *Mathematical* → *Mathematical* (*fmod* → *rad2deg*)
→ *is_nan*
Keybinding: *none*
PHP Function: *is_nan*

'php-template-lcg-value'
Menu: *PHP* → *Templates* → *Mathematical* → *Mathematical* (*fmod* → *rad2deg*)
→ *lcg_value*
Keybinding: *none*
PHP Function: *lcg_value*

'php-template-log10'
Menu: *PHP* → *Templates* → *Mathematical* → *Mathematical* (*fmod* → *rad2deg*)
→ *log10*
Keybinding: *none*
PHP Function: *log10*

'php-template-log1p'
Menu: *PHP* → *Templates* → *Mathematical* → *Mathematical* (*fmod* → *rad2deg*)
→ *log1p*
Keybinding: *none*
PHP Function: *log1p*

'php-template-log'
Menu: *PHP* → *Templates* → *Mathematical* → *Mathematical* (*fmod* → *rad2deg*)
→ *log*
Keybinding: *none*
PHP Function: *log*

'php-template-max'
Menu: *PHP* → *Templates* → *Mathematical* → *Mathematical* (*fmod* → *rad2deg*)
→ *max*

Keybinding: none
PHP Function: max

'php-template-min'
 Menu: *PHP* → *Templates* → *Mathematical* → *Mathematical* (*fmod* → *rad2deg*)
 → *min*
 Keybinding: none
 PHP Function: min

'php-template-mt-getrandmax'
 Menu: *PHP* → *Templates* → *Mathematical* → *Mathematical* (*fmod* → *rad2deg*)
 → *mt_getrandmax*
 Keybinding: none
 PHP Function: mt_getrandmax

'php-template-mt-rand'
 Menu: *PHP* → *Templates* → *Mathematical* → *Mathematical* (*fmod* → *rad2deg*)
 → *mt_rand*
 Keybinding: none
 PHP Function: mt_rand

'php-template-mt-srand'
 Menu: *PHP* → *Templates* → *Mathematical* → *Mathematical* (*fmod* → *rad2deg*)
 → *mt_srand*
 Keybinding: none
 PHP Function: mt_srand

'php-template-octdec'
 Menu: *PHP* → *Templates* → *Mathematical* → *Mathematical* (*fmod* → *rad2deg*)
 → *octdec*
 Keybinding: none
 PHP Function: octdec

'php-template-pi'
 Menu: *PHP* → *Templates* → *Mathematical* → *Mathematical* (*fmod* → *rad2deg*)
 → *pi*
 Keybinding: none
 PHP Function: pi

'php-template-pow'
 Menu: *PHP* → *Templates* → *Mathematical* → *Mathematical* (*fmod* → *rad2deg*)
 → *pow*
 Keybinding: none
 PHP Function: pow

'php-template-rad2deg'
 Menu: *PHP* → *Templates* → *Mathematical* → *Mathematical* (*fmod* → *rad2deg*)
 → *rad2deg*
 Keybinding: none
 PHP Function: rad2deg

'php-template-rand'
Menu: *PHP* → *Templates* → *Mathematical* → *Mathematical* (*rand* → *tanh*)
→ *rand*
Keybinding: *none*
PHP Function: rand

'php-template-round'
Menu: *PHP* → *Templates* → *Mathematical* → *Mathematical* (*rand* → *tanh*)
→ *round*
Keybinding: *none*
PHP Function: round

'php-template-sin'
Menu: *PHP* → *Templates* → *Mathematical* → *Mathematical* (*rand* → *tanh*)
→ *sin*
Keybinding: *none*
PHP Function: sin

'php-template-sinh'
Menu: *PHP* → *Templates* → *Mathematical* → *Mathematical* (*rand* → *tanh*)
→ *sinh*
Keybinding: *none*
PHP Function: sinh

'php-template-sqrt'
Menu: *PHP* → *Templates* → *Mathematical* → *Mathematical* (*rand* → *tanh*)
→ *sqrt*
Keybinding: *none*
PHP Function: sqrt

'php-template-srand'
Menu: *PHP* → *Templates* → *Mathematical* → *Mathematical* (*rand* → *tanh*)
→ *srand*
Keybinding: *none*
PHP Function: srand

'php-template-tan'
Menu: *PHP* → *Templates* → *Mathematical* → *Mathematical* (*rand* → *tanh*)
→ *tan*
Keybinding: *none*
PHP Function: tan

'php-template-tanh'
Menu: *PHP* → *Templates* → *Mathematical* → *Mathematical* (*rand* → *tanh*)
→ *tanh*
Keybinding: *none*
PHP Function: tanh

8.2.14 Miscellaneous

'php-template-connection-aborted'

Menu: *PHP* → *Templates* → *Miscellaneous Functions* → *Misc (connection_aborted* → *sys_getloadavg)* → *connection_aborted*

Keybinding: *none*

PHP Function: *connection_aborted*

'php-template-connection-status'

Menu: *PHP* → *Templates* → *Miscellaneous Functions* → *Misc (connection_aborted* → *sys_getloadavg)* → *connection_status*

Keybinding: *none*

PHP Function: *connection_status*

'php-template-connection-timeout'

Menu: *PHP* → *Templates* → *Miscellaneous Functions* → *Misc (connection_aborted* → *sys_getloadavg)* → *connection_timeout*

Keybinding: *none*

PHP Function: *connection_timeout*

'php-template-constant'

Menu: *PHP* → *Templates* → *Miscellaneous Functions* → *Misc (connection_aborted* → *sys_getloadavg)* → *constant*

Keybinding: *none*

PHP Function: *constant*

'php-template-define'

Menu: *PHP* → *Templates* → *Miscellaneous Functions* → *Misc (connection_aborted* → *sys_getloadavg)* → *define*

Keybinding: *none*

PHP Function: *define*

'php-template-defined'

Menu: *PHP* → *Templates* → *Miscellaneous Functions* → *Misc (connection_aborted* → *sys_getloadavg)* → *defined*

Keybinding: *none*

PHP Function: *defined*

'php-template-die'

Menu: *PHP* → *Templates* → *Miscellaneous Functions* → *Misc (connection_aborted* → *sys_getloadavg)* → *die*

Keybinding: *none*

PHP Function: *die*

'php-template-eval'

Menu: *PHP* → *Templates* → *Miscellaneous Functions* → *Misc (connection_aborted* → *sys_getloadavg)* → *eval*

Keybinding: *none*

PHP Function: *eval*

'php-template-exit'
Menu: *PHP* → *Templates* → *Miscellaneous Functions* → *Misc (connection_aborted → sys_getloadavg)* → *exit*
Keybinding: *none*
PHP Function: *exit*

'php-template-get-browser'
Menu: *PHP* → *Templates* → *Miscellaneous Functions* → *Misc (connection_aborted → sys_getloadavg)* → *get_browser*
Keybinding: *none*
PHP Function: *get_browser*

'php-template-halt-compiler'
Menu: *PHP* → *Templates* → *Miscellaneous Functions* → *Misc (connection_aborted → sys_getloadavg)* → *_halt_compiler*
Keybinding: *none*
PHP Function: *_halt_compiler*

'php-template-highlight-file'
Menu: *PHP* → *Templates* → *Miscellaneous Functions* → *Misc (connection_aborted → sys_getloadavg)* → *highlight_file*
Keybinding: *none*
PHP Function: *highlight_file*

'php-template-highlight-string'
Menu: *PHP* → *Templates* → *Miscellaneous Functions* → *Misc (connection_aborted → sys_getloadavg)* → *highlight_string*
Keybinding: *none*
PHP Function: *highlight_string*

'php-template-ignore-user-abort'
Menu: *PHP* → *Templates* → *Miscellaneous Functions* → *Misc (connection_aborted → sys_getloadavg)* → *ignore_user_abort*
Keybinding: *none*
PHP Function: *ignore_user_abort*

'php-template-pack'
Menu: *PHP* → *Templates* → *Miscellaneous Functions* → *Misc (connection_aborted → sys_getloadavg)* → *pack*
Keybinding: *none*
PHP Function: *pack*

'php-template-php-check-syntax'
Menu: *PHP* → *Templates* → *Miscellaneous Functions* → *Misc (connection_aborted → sys_getloadavg)* → *php_check_syntax*
Keybinding: *none*
PHP Function: *php_check_syntax*

'php-template-php-strip-whitespace'
Menu: *PHP* → *Templates* → *Miscellaneous Functions* → *Misc (connection_aborted → sys_getloadavg)* → *php_strip_whitespace*

Keybinding: *none*
PHP Function: `php_strip_whitespace`

'php-template-show-source'
Menu: *PHP* → *Templates* → *Miscellaneous Functions* → *Misc (connection_aborted* → *sys_getloadavg)* → *show_source*
Keybinding: *none*
PHP Function: `show_source`

'php-template-sleep'
Menu: *PHP* → *Templates* → *Miscellaneous Functions* → *Misc (connection_aborted* → *sys_getloadavg)* → *sleep*
Keybinding: *none*
PHP Function: `sleep`

'php-template-sys-getloadavg'
Menu: *PHP* → *Templates* → *Miscellaneous Functions* → *Misc (connection_aborted* → *sys_getloadavg)* → *sys_getloadavg*
Keybinding: *none*
PHP Function: `sys_getloadavg`

'php-template-time-nanosleep'
Menu: *PHP* → *Templates* → *Miscellaneous Functions* → *Misc (time_nanosleep* → *usleep)* → *time_nanosleep*
Keybinding: *none*
PHP Function: `time_nanosleep`

'php-template-time-sleep-until'
Menu: *PHP* → *Templates* → *Miscellaneous Functions* → *Misc (time_nanosleep* → *usleep)* → *time_sleep_until*
Keybinding: *none*
PHP Function: `time_sleep_until`

'php-template-uniqid'
Menu: *PHP* → *Templates* → *Miscellaneous Functions* → *Misc (time_nanosleep* → *usleep)* → *uniqid*
Keybinding: *none*
PHP Function: `uniqid`

'php-template-unpack'
Menu: *PHP* → *Templates* → *Miscellaneous Functions* → *Misc (time_nanosleep* → *usleep)* → *unpack*
Keybinding: *none*
PHP Function: `unpack`

'php-template-usleep'
Menu: *PHP* → *Templates* → *Miscellaneous Functions* → *Misc (time_nanosleep* → *usleep)* → *usleep*
Keybinding: *none*
PHP Function: `usleep`

8.2.15 MySQL

'php-template-mysql-affected-rows'
Menu: PHP → Templates → MySQL → MySQL (Aff → Field_flags) → mysql_affected_rows
Keybinding: none
PHP Function: mysql_affected_rows

'php-template-mysql-change-user'
Menu: PHP → Templates → MySQL → MySQL (Aff → Field_flags) → mysql_change_user
Keybinding: none
PHP Function: mysql_change_user

'php-template-mysql-client-encoding'
Menu: PHP → Templates → MySQL → MySQL (Aff → Field_flags) → mysql_client_encoding
Keybinding: none
PHP Function: mysql_client_encoding

'php-template-mysql-close'
Menu: PHP → Templates → MySQL → MySQL (Aff → Field_flags) → mysql_close
Keybinding: none
PHP Function: mysql_close

'php-template-mysql-connect'
Menu: PHP → Templates → MySQL → MySQL (Aff → Field_flags) → mysql_connect
Keybinding: none
PHP Function: mysql_connect

'php-template-mysql-create-db'
Menu: PHP → Templates → MySQL → MySQL (Aff → Field_flags) → mysql_create_db
Keybinding: none
PHP Function: mysql_create_db

'php-template-mysql-data-seek'
Menu: PHP → Templates → MySQL → MySQL (Aff → Field_flags) → mysql_data_seek
Keybinding: none
PHP Function: mysql_data_seek

'php-template-mysql-db-name'
Menu: PHP → Templates → MySQL → MySQL (Aff → Field_flags) → mysql_db_name
Keybinding: none
PHP Function: mysql_db_name

```
'php-template-mysql-db-query'
    Menu: PHP → Templates → MySQL → MySQL (Aff → Field_flags) →
    mysql_db_query
    Keybinding: none
    PHP Function: mysql_db_query

'php-template-mysql-drop-db'
    Menu: PHP → Templates → MySQL → MySQL (Aff → Field_flags) →
    mysql_drop_db
    Keybinding: none
    PHP Function: mysql_drop_db

'php-template-mysql-errno'
    Menu: PHP → Templates → MySQL → MySQL (Aff → Field_flags) →
    mysql_errno
    Keybinding: none
    PHP Function: mysql_errno

'php-template-mysql-error'
    Menu: PHP → Templates → MySQL → MySQL (Aff → Field_flags) →
    mysql_error
    Keybinding: none
    PHP Function: mysql_error

'php-template-mysql-escape-string'
    Menu: PHP → Templates → MySQL → MySQL (Aff → Field_flags) →
    mysql_escape_string
    Keybinding: none
    PHP Function: mysql_escape_string

'php-template-mysql-fetch-array'
    Menu: PHP → Templates → MySQL → MySQL (Aff → Field_flags) →
    mysql_fetch_array
    Keybinding: none
    PHP Function: mysql_fetch_array

'php-template-mysql-fetch-assoc'
    Menu: PHP → Templates → MySQL → MySQL (Aff → Field_flags) →
    mysql_fetch_assoc
    Keybinding: none
    PHP Function: mysql_fetch_assoc

'php-template-mysql-fetch-field'
    Menu: PHP → Templates → MySQL → MySQL (Aff → Field_flags) →
    mysql_fetch_field
    Keybinding: none
    PHP Function: mysql_fetch_field

'php-template-mysql-fetch-lengths'
    Menu: PHP → Templates → MySQL → MySQL (Aff → Field_flags) →
    mysql_fetch_lengths
```

Keybinding: *none*
PHP Function: mysql_fetch_lengths

'php-template-mysql-fetch-object'
 Menu: *PHP* → *Templates* → *MySQL* → *MySQL* (*Aff* → *Field_flags*) →
 mysql_fetch_object
 Keybinding: *none*
 PHP Function: mysql_fetch_object

'php-template-mysql-fetch-row'
 Menu: *PHP* → *Templates* → *MySQL* → *MySQL* (*Aff* → *Field_flags*) →
 mysql_fetch_row
 Keybinding: *none*
 PHP Function: mysql_fetch_row

'php-template-mysql-field-flags'
 Menu: *PHP* → *Templates* → *MySQL* → *MySQL* (*Aff* → *Field_flags*) →
 mysql_field_flags
 Keybinding: *none*
 PHP Function: mysql_field_flags

'php-template-mysql-field-len'
 Menu: *PHP* → *Templates* → *MySQL* → *MySQL* (*Field_len* → *Ping*) →
 mysql_field_len
 Keybinding: *none*
 PHP Function: mysql_field_len

'php-template-mysql-field-name'
 Menu: *PHP* → *Templates* → *MySQL* → *MySQL* (*Field_len* → *Ping*) →
 mysql_field_name
 Keybinding: *none*
 PHP Function: mysql_field_name

'php-template-mysql-field-seek'
 Menu: *PHP* → *Templates* → *MySQL* → *MySQL* (*Field_len* → *Ping*) →
 mysql_field_seek
 Keybinding: *none*
 PHP Function: mysql_field_seek

'php-template-mysql-field-table'
 Menu: *PHP* → *Templates* → *MySQL* → *MySQL* (*Field_len* → *Ping*) →
 mysql_field_table
 Keybinding: *none*
 PHP Function: mysql_field_table

'php-template-mysql-field-type'
 Menu: *PHP* → *Templates* → *MySQL* → *MySQL* (*Field_len* → *Ping*) →
 mysql_field_type
 Keybinding: *none*
 PHP Function: mysql_field_type

```
'php-template-mysql-free-result'
    Menu: PHP → Templates → MySQL → MySQL (Field_lan → Ping) →
    mysql_free_result
    Keybinding: none
    PHP Function: mysql_free_result

'php-template-mysql-get-client-info'
    Menu: PHP → Templates → MySQL → MySQL (Field_lan → Ping) →
    mysql_get_client_info
    Keybinding: none
    PHP Function: mysql_get_client_info

'php-template-mysql-get-host-info'
    Menu: PHP → Templates → MySQL → MySQL (Field_lan → Ping) →
    mysql_get_host_info
    Keybinding: none
    PHP Function: mysql_get_host_info

'php-template-mysql-get-proto-info'
    Menu: PHP → Templates → MySQL → MySQL (Field_lan → Ping) →
    mysql_get_proto_info
    Keybinding: none
    PHP Function: mysql_get_proto_info

'php-template-mysql-get-server-info'
    Menu: PHP → Templates → MySQL → MySQL (Field_lan → Ping) →
    mysql_get_server_info
    Keybinding: none
    PHP Function: mysql_get_server_info

'php-template-mysql-info'
    Menu: PHP → Templates → MySQL → MySQL (Field_lan → Ping) →
    mysql_info
    Keybinding: none
    PHP Function: mysql_info

'php-template-mysql-insert-id'
    Menu: PHP → Templates → MySQL → MySQL (Field_lan → Ping) →
    mysql_insert_id
    Keybinding: none
    PHP Function: mysql_insert_id

'php-template-mysql-list-dbs'
    Menu: PHP → Templates → MySQL → MySQL (Field_lan → Ping) →
    mysql_list_dbs
    Keybinding: none
    PHP Function: mysql_list_dbs

'php-template-mysql-list-fields'
    Menu: PHP → Templates → MySQL → MySQL (Field_lan → Ping) →
    mysql_list_fields
```

Keybinding: *none*
PHP Function: mysql_list_fields

'php-template-mysql-list-processes'
 Menu: *PHP* → *Templates* → *MySQL* → *MySQL* (*Field_lan* → *Ping*) →
 mysql_list_processes
 Keybinding: *none*
 PHP Function: mysql_list_processes

'php-template-mysql-list-tables'
 Menu: *PHP* → *Templates* → *MySQL* → *MySQL* (*Field_lan* → *Ping*) →
 mysql_list_tables
 Keybinding: *none*
 PHP Function: mysql_list_tables

'php-template-mysql-num-fields'
 Menu: *PHP* → *Templates* → *MySQL* → *MySQL* (*Field_lan* → *Ping*) →
 mysql_num_fields
 Keybinding: *none*
 PHP Function: mysql_num_fields

'php-template-mysql-num-rows'
 Menu: *PHP* → *Templates* → *MySQL* → *MySQL* (*Field_lan* → *Ping*) →
 mysql_num_rows
 Keybinding: *none*
 PHP Function: mysql_num_rows

'php-template-mysql-pconnect'
 Menu: *PHP* → *Templates* → *MySQL* → *MySQL* (*Field_lan* → *Ping*) →
 mysql_pconnect
 Keybinding: *none*
 PHP Function: mysql_pconnect

'php-template-mysql-ping'
 Menu: *PHP* → *Templates* → *MySQL* → *MySQL* (*Field_lan* → *Ping*) →
 mysql_ping
 Keybinding: *none*
 PHP Function: mysql_ping

'php-template-mysql-query'
 Menu: *PHP* → *Templates* → *MySQL* → *MySQL* (*Query* → *Unbuff*) →
 mysql_query
 Keybinding: *none*
 PHP Function: mysql_query

'php-template-mysql-real-escape-string'
 Menu: *PHP* → *Templates* → *MySQL* → *MySQL* (*Query* → *Unbuff*) →
 mysql_real_escape_string
 Keybinding: *none*
 PHP Function: mysql_real_escape_string

```
'php-template-mysql-result'
    Menu: PHP → Templates → MySQL → MySQL (Query → Unbuff) →
    mysql_result
    Keybinding: none
    PHP Function: mysql_result

'php-template-mysql-select-db'
    Menu: PHP → Templates → MySQL → MySQL (Query → Unbuff) →
    mysql_select_db
    Keybinding: none
    PHP Function: mysql_select_db

'php-template-mysql-stat'
    Menu: PHP → Templates → MySQL → MySQL (Query → Unbuff) →
    mysql_stat
    Keybinding: none
    PHP Function: mysql_stat

'php-template-mysql-tablename'
    Menu: PHP → Templates → MySQL → MySQL (Query → Unbuff) →
    mysql_tablename
    Keybinding: none
    PHP Function: mysql_tablename

'php-template-mysql-thread-id'
    Menu: PHP → Templates → MySQL → MySQL (Query → Unbuff) →
    mysql_thread_id
    Keybinding: none
    PHP Function: mysql_thread_id

'php-template-mysql-unbuffered-query'
    Menu: PHP → Templates → MySQL → MySQL (Query → Unbuff) →
    mysql_unbuffered_query
    Keybinding: none
    PHP Function: mysql_unbuffered_query
```

8.2.16 Others

```
'php-template-class'
    Menu: PHP → Templates → Others → class
    Keybinding: none
    PHP Function: class

'php-template-function'
    Menu: PHP → Templates → Others → function
    Keybinding: none
    PHP Function: function
```

8.2.17 Regular Expressions

'php-template-ereg-replace'

Menu: *PHP* → *Templates* → *Regular Expressions* → *ereg_replace*

Keybinding: *none*

PHP Function: *ereg_replace*

'php-template-ereg'

Menu: *PHP* → *Templates* → *Regular Expressions* → *ereg*

Keybinding: *none*

PHP Function: *ereg*

'php-template-eregi-replace'

Menu: *PHP* → *Templates* → *Regular Expressions* → *eregi_replace*

Keybinding: *none*

PHP Function: *eregi_replace*

'php-template-eregi'

Menu: *PHP* → *Templates* → *Regular Expressions* → *eregi*

Keybinding: *none*

PHP Function: *eregi*

'php-template-split'

Menu: *PHP* → *Templates* → *Regular Expressions* → *split*

Keybinding: *none*

PHP Function: *split*

'php-template-spliti'

Menu: *PHP* → *Templates* → *Regular Expressions* → *spliti*

Keybinding: *none*

PHP Function: *spliti*

'php-template-sql-regcase'

Menu: *PHP* → *Templates* → *Regular Expressions* → *sql_regcase*

Keybinding: *none*

PHP Function: *sql_regcase*

8.2.18 Session

'php-template-session-cache-expire'

Menu: *PHP* → *Templates* → *Session* → *session_cache_expire*

Keybinding: *none*

PHP Function: *session_cache_expire*

'php-template-session-cache-limiter'

Menu: *PHP* → *Templates* → *Session* → *session_cache_limiter*

Keybinding: *none*

PHP Function: *session_cache_limiter*

```
'php-template-session-commit'
    Menu: PHP → Templates → Session → session_commit
    Keybinding: none
    PHP Function: session_commit

'php-template-session-decode'
    Menu: PHP → Templates → Session → session_decode
    Keybinding: none
    PHP Function: session_decode

'php-template-session-destroy'
    Menu: PHP → Templates → Session → session_destroy
    Keybinding: none
    PHP Function: session_destroy

'php-template-session-encode'
    Menu: PHP → Templates → Session → session_encode
    Keybinding: none
    PHP Function: session_encode

'php-template-session-get-cookie-params'
    Menu: PHP → Templates → Session → session_get_cookie_params
    Keybinding: none
    PHP Function: session_get_cookie_params

'php-template-session-id'
    Menu: PHP → Templates → Session → session_id
    Keybinding: none
    PHP Function: session_id

'php-template-session-is-registered'
    Menu: PHP → Templates → Session → session_is_registered
    Keybinding: none
    PHP Function: session_is_registered

'php-template-session-module-name'
    Menu: PHP → Templates → Session → session_module_name
    Keybinding: none
    PHP Function: session_module_name

'php-template-session-name'
    Menu: PHP → Templates → Session → session_name
    Keybinding: none
    PHP Function: session_name

'php-template-session-regenerate-id'
    Menu: PHP → Templates → Session → session_regenerate_id
    Keybinding: none
    PHP Function: session_regenerate_id
```

```
'php-template-session-register'
    Menu: PHP → Templates → Session → session_register
    Keybinding: none
    PHP Function: session_register

'php-template-session-save-path'
    Menu: PHP → Templates → Session → session_save_path
    Keybinding: none
    PHP Function: session_save_path

'php-template-session-set-cookie-params'
    Menu: PHP → Templates → Session → session_set_cookie_params
    Keybinding: none
    PHP Function: session_set_cookie_params

'php-template-session-set-save-handler'
    Menu: PHP → Templates → Session → session_set_save_handler
    Keybinding: none
    PHP Function: session_set_save_handler

'php-template-session-start'
    Menu: PHP → Templates → Session → session_start
    Keybinding: none
    PHP Function: session_start

'php-template-session-unregister'
    Menu: PHP → Templates → Session → session_unregister
    Keybinding: none
    PHP Function: session_unregister

'php-template-session-unset'
    Menu: PHP → Templates → Session → session_unset
    Keybinding: none
    PHP Function: session_unset

'php-template-session-write-close'
    Menu: PHP → Templates → Session → session_write_close
    Keybinding: none
    PHP Function: session_write_close
```

8.2.19 String

```
'php-template-addcslashes'
    Menu: PHP → Templates → String → String (addcslashes → htmlentities) →
    addcslashes
    Keybinding: none
    PHP Function: addcslashes

'php-template-addslashes'
    Menu: PHP → Templates → String → String (addslashes → htmlentities) →
    addslashes
```

Keybinding: *none*

PHP Function: addslashes

'php-template-bin2hex'

Menu: *PHP* → *Templates* → *String* → *String (addcslashes → htmlentities)* → *bin2hex*

Keybinding: *none*

PHP Function: bin2hex

'php-template-chop'

Menu: *PHP* → *Templates* → *String* → *String (addcslashes → htmlentities)* → *chop*

Keybinding: *none*

PHP Function: chop

'php-template-chr'

Menu: *PHP* → *Templates* → *String* → *String (addcslashes → htmlentities)* → *chr*

Keybinding: *none*

PHP Function: chr

'php-template-chunk-split'

Menu: *PHP* → *Templates* → *String* → *String (addcslashes → htmlentities)* → *chunk_split*

Keybinding: *none*

PHP Function: chunk_split

'php-template-convert-cyr-string'

Menu: *PHP* → *Templates* → *String* → *String (addcslashes → htmlentities)* → *convert_cyr_string*

Keybinding: *none*

PHP Function: convert_cyr_string

'php-template-convert-uudecode'

Menu: *PHP* → *Templates* → *String* → *String (addcslashes → htmlentities)* → *convert_uudecode*

Keybinding: *none*

PHP Function: convert_uudecode

'php-template-convert-uuencode'

Menu: *PHP* → *Templates* → *String* → *String (addcslashes → htmlentities)* → *convert_uuencode*

Keybinding: *none*

PHP Function: convert_uuencode

'php-template-count-chars'

Menu: *PHP* → *Templates* → *String* → *String (addcslashes → htmlentities)* → *count_chars*

Keybinding: *none*

PHP Function: count_chars

```
'php-template-crc32'
    Menu: PHP -> Templates -> String -> String (addcslashes -> htmlentities) ->
    crc32
    Keybinding: none
    PHP Function: crc32

'php-template-crypt'
    Menu: PHP -> Templates -> String -> String (addcslashes -> htmlentities) ->
    crypt
    Keybinding: none
    PHP Function: crypt

'php-template-echo'
    Menu: PHP -> Templates -> String -> String (addcslashes -> htmlentities) ->
    echo
    Keybinding: none
    PHP Function: echo

'php-template-explode'
    Menu: PHP -> Templates -> String -> String (addcslashes -> htmlentities) ->
    explode
    Keybinding: none
    PHP Function: explode

'php-template-fprintf'
    Menu: PHP -> Templates -> String -> String (addcslashes -> htmlentities) ->
    fprintf
    Keybinding: none
    PHP Function: fprintf

'php-template-get-html-translation-table'
    Menu: PHP -> Templates -> String -> String (addcslashes -> htmlentities) ->
    get_html_translation_table
    Keybinding: none
    PHP Function: get_html_translation_table

'php-template-hebrev'
    Menu: PHP -> Templates -> String -> String (addcslashes -> htmlentities) ->
    hebrev
    Keybinding: none
    PHP Function: hebrev

'php-template-hebrevc'
    Menu: PHP -> Templates -> String -> String (addcslashes -> htmlentities) ->
    hebrevc
    Keybinding: none
    PHP Function: hebrevc

'php-template-html-entity-decode'
    Menu: PHP -> Templates -> String -> String (addcslashes -> htmlentities) ->
    html_entity_decode
```

Keybinding: `none`
PHP Function: `html_entity_decode`

`'php-template-htmlentities'`
 Menu: *PHP* → *Templates* → *String* → *String* (*addcslashes* → *htmlentities*) → *htmlentities*
 Keybinding: `none`
 PHP Function: `htmlentities`

`'php-template-htmlspecialchars_decode'`
 Menu: *PHP* → *Templates* → *String* → *String* (*htmlspecialchars_decode* → *quotemeta*) → *htmlspecialchars_decode*
 Keybinding: `none`
 PHP Function: `htmlspecialchars_decode`

`'php-template-htmlspecialchars'`
 Menu: *PHP* → *Templates* → *String* → *String* (*htmlspecialchars_decode* → *quotemeta*) → *htmlspecialchars*
 Keybinding: `none`
 PHP Function: `htmlspecialchars`

`'php-template-implode'`
 Menu: *PHP* → *Templates* → *String* → *String* (*htmlspecialchars_decode* → *quotemeta*) → *implode*
 Keybinding: `none`
 PHP Function: `implode`

`'php-template-join'`
 Menu: *PHP* → *Templates* → *String* → *String* (*htmlspecialchars_decode* → *quotemeta*) → *join*
 Keybinding: `none`
 PHP Function: `join`

`'php-template-levenshtein'`
 Menu: *PHP* → *Templates* → *String* → *String* (*htmlspecialchars_decode* → *quotemeta*) → *levenshtein*
 Keybinding: `none`
 PHP Function: `levenshtein`

`'php-template-localeconv'`
 Menu: *PHP* → *Templates* → *String* → *String* (*htmlspecialchars_decode* → *quotemeta*) → *localeconv*
 Keybinding: `none`
 PHP Function: `localeconv`

`'php-template-ltrim'`
 Menu: *PHP* → *Templates* → *String* → *String* (*htmlspecialchars_decode* → *quotemeta*) → *ltrim*
 Keybinding: `none`
 PHP Function: `ltrim`

```
'php-template-md5-file'
  Menu: PHP -> Templates -> String -> String (htmlspecialchars_decode ->
quotemeta) -> md5_file
  Keybinding: none
  PHP Function: md5_file

'php-template-md5'
  Menu: PHP -> Templates -> String -> String (htmlspecialchars_decode ->
quotemeta) -> md5
  Keybinding: none
  PHP Function: md5

'php-template-metaphone'
  Menu: PHP -> Templates -> String -> String (htmlspecialchars_decode ->
quotemeta) -> metaphone
  Keybinding: none
  PHP Function: metaphone

'php-template-money-format'
  Menu: PHP -> Templates -> String -> String (htmlspecialchars_decode ->
quotemeta) -> money_format
  Keybinding: none
  PHP Function: money_format

'php-template-nl_langinfo'
  Menu: PHP -> Templates -> String -> String (htmlspecialchars_decode ->
quotemeta) -> nl_langinfo
  Keybinding: none
  PHP Function: nl_langinfo

'php-template-nl2br'
  Menu: PHP -> Templates -> String -> String (htmlspecialchars_decode ->
quotemeta) -> nl2br
  Keybinding: none
  PHP Function: nl2br

'php-template-number-format'
  Menu: PHP -> Templates -> String -> String (htmlspecialchars_decode ->
quotemeta) -> number_format
  Keybinding: none
  PHP Function: number_format

'php-template-ord'
  Menu: PHP -> Templates -> String -> String (htmlspecialchars_decode ->
quotemeta) -> ord
  Keybinding: none
  PHP Function: ord

'php-template-parse-str'
  Menu: PHP -> Templates -> String -> String (htmlspecialchars_decode ->
quotemeta) -> parse_str
```

Keybinding: none
PHP Function: parse_str

'php-template-print'
 Menu: PHP → Templates → String → String (htmlspecialchars_decode → quotemeta) → print
 Keybinding: none
 PHP Function: print

'php-template-printf'
 Menu: PHP → Templates → String → String (htmlspecialchars_decode → quotemeta) → printf
 Keybinding: none
 PHP Function: printf

'php-template-quoted-printable-decode'
 Menu: PHP → Templates → String → String (htmlspecialchars_decode → quotemeta) → quoted_printable_decode
 Keybinding: none
 PHP Function: quoted_printable_decode

'php-template-quotemeta'
 Menu: PHP → Templates → String → String (htmlspecialchars_decode → quotemeta) → quotemeta
 Keybinding: none
 PHP Function: quotemeta

'php-template-rtrim'
 Menu: PHP → Templates → String → String (rtrim → strcoll) → rtrim
 Keybinding: none
 PHP Function: rtrim

'php-template-setlocale'
 Menu: PHP → Templates → String → String (rtrim → strcoll) → setlocale
 Keybinding: none
 PHP Function: setlocale

'php-template-sha1-file'
 Menu: PHP → Templates → String → String (rtrim → strcoll) → sha1_file
 Keybinding: none
 PHP Function: sha1_file

'php-template-sha1'
 Menu: PHP → Templates → String → String (rtrim → strcoll) → sha1
 Keybinding: none
 PHP Function: sha1

'php-template-similar-text'
 Menu: PHP → Templates → String → String (rtrim → strcoll) → similar_text
 Keybinding: none
 PHP Function: similar_text

```
'php-template-soundex'
  Menu: PHP -> Templates -> String -> String (rtrim -> strcoll) -> soundex
  Keybinding: none
  PHP Function: soundex

'php-template-sprintf'
  Menu: PHP -> Templates -> String -> String (rtrim -> strcoll) -> sprintf
  Keybinding: none
  PHP Function: sprintf

'php-template-sscanf'
  Menu: PHP -> Templates -> String -> String (rtrim -> strcoll) -> sscanf
  Keybinding: none
  PHP Function: sscanf

'php-template-str-ireplace'
  Menu: PHP -> Templates -> String -> String (rtrim -> strcoll) -> str_ireplace
  Keybinding: none
  PHP Function: str_ireplace

'php-template-str-pad'
  Menu: PHP -> Templates -> String -> String (rtrim -> strcoll) -> str_pad
  Keybinding: none
  PHP Function: str_pad

'php-template-str-repeat'
  Menu: PHP -> Templates -> String -> String (rtrim -> strcoll) -> str_repeat
  Keybinding: none
  PHP Function: str_repeat

'php-template-str-replace'
  Menu: PHP -> Templates -> String -> String (rtrim -> strcoll) -> str_replace
  Keybinding: none
  PHP Function: str_replace

'php-template-str-rot13'
  Menu: PHP -> Templates -> String -> String (rtrim -> strcoll) -> str_rot13
  Keybinding: none
  PHP Function: str_rot13

'php-template-str-shuffle'
  Menu: PHP -> Templates -> String -> String (rtrim -> strcoll) -> str_shuffle
  Keybinding: none
  PHP Function: str_shuffle

'php-template-str-split'
  Menu: PHP -> Templates -> String -> String (rtrim -> strcoll) -> str_split
  Keybinding: none
  PHP Function: str_split

'php-template-str-word-count'
  Menu: PHP -> Templates -> String -> String (rtrim -> strcoll) ->
  str_word_count
```

Keybinding: none
PHP Function: str_word_count

‘php-template-strcasecmp’
 Menu: *PHP* → *Templates* → *String* → *String (rtrim → strcoll) → strcasecmp*
 Keybinding: none
 PHP Function: strcasecmp

‘php-template-strchr’
 Menu: *PHP* → *Templates* → *String* → *String (rtrim → strcoll) → strchr*
 Keybinding: none
 PHP Function: strchr

‘php-templatestrcmp’
 Menu: *PHP* → *Templates* → *String* → *String (rtrim → strcoll) → strcmp*
 Keybinding: none
 PHP Function: strcmp

‘php-template-strcoll’
 Menu: *PHP* → *Templates* → *String* → *String (rtrim → strcoll) → strcoll*
 Keybinding: none
 PHP Function: strcoll

‘php-template-strcspn’
 Menu: *PHP* → *Templates* → *String* → *String (strcspn → strtok) → strcspn*
 Keybinding: none
 PHP Function: strcspn

‘php-template-strip_tags’
 Menu: *PHP* → *Templates* → *String* → *String (strcspn → strtok) → strip_tags*
 Keybinding: none
 PHP Function: strip_tags

‘php-template-stripcslashes’
 Menu: *PHP* → *Templates* → *String* → *String (strcspn → strtok) → stripcslashes*
 Keybinding: none
 PHP Function: stripcslashes

‘php-template-strippos’
 Menu: *PHP* → *Templates* → *String* → *String (strcspn → strtok) → strippos*
 Keybinding: none
 PHP Function: strippos

‘php-template-stripslashes’
 Menu: *PHP* → *Templates* → *String* → *String (strcspn → strtok) → stripslashes*
 Keybinding: none
 PHP Function: stripslashes

‘php-template-stristr’
 Menu: *PHP* → *Templates* → *String* → *String (strcspn → strtok) → stristr*
 Keybinding: none
 PHP Function: stristr

'php-template-strlen'
 Menu: *PHP* → *Templates* → *String* → *String (strcspn → strtok) → strlen*
 Keybinding: *none*
 PHP Function: *strlen*

'php-template-strnatcasecmp'
 Menu: *PHP* → *Templates* → *String* → *String (strcspn → strtok) → strnatcasecmp*
 Keybinding: *none*
 PHP Function: *strnatcasecmp*

'php-template-strnatcmp'
 Menu: *PHP* → *Templates* → *String* → *String (strcspn → strtok) → strnatcmp*
 Keybinding: *none*
 PHP Function: *strnatcmp*

'php-template-strncasecmp'
 Menu: *PHP* → *Templates* → *String* → *String (strcspn → strtok) → strncasecmp*
 Keybinding: *none*
 PHP Function: *strncasecmp*

'php-template-strncmp'
 Menu: *PHP* → *Templates* → *String* → *String (strcspn → strtok) → strncmp*
 Keybinding: *none*
 PHP Function: *strncmp*

'php-template-strpbrk'
 Menu: *PHP* → *Templates* → *String* → *String (strcspn → strtok) → strpbrk*
 Keybinding: *none*
 PHP Function: *strpbrk*

'php-template-strpos'
 Menu: *PHP* → *Templates* → *String* → *String (strcspn → strtok) → strpos*
 Keybinding: *none*
 PHP Function: *strpos*

'php-template-strrchr'
 Menu: *PHP* → *Templates* → *String* → *String (strcspn → strtok) → strrchr*
 Keybinding: *none*
 PHP Function: *strrchr*

'php-template-strrev'
 Menu: *PHP* → *Templates* → *String* → *String (strcspn → strtok) → strrev*
 Keybinding: *none*
 PHP Function: *strrev*

'php-template-strripos'
 Menu: *PHP* → *Templates* → *String* → *String (strcspn → strtok) → strripos*
 Keybinding: *none*
 PHP Function: *strripos*

'php-template-strrpos'
 Menu: *PHP* → *Templates* → *String* → *String (strcspn → strtok) → strrpos*
 Keybinding: *none*
 PHP Function: *strrpos*

'php-template-strspn'
 Menu: *PHP* → *Templates* → *String* → *String (strcspn → strtok) → strspn*
 Keybinding: *none*
 PHP Function: *strspn*

'php-template-strstr'
 Menu: *PHP* → *Templates* → *String* → *String (strcspn → strtok) → strstr*
 Keybinding: *none*
 PHP Function: *strstr*

'php-template-strtok'
 Menu: *PHP* → *Templates* → *String* → *String (strcspn → strtok) → strtok*
 Keybinding: *none*
 PHP Function: *strtok*

'php-template-strtolower'
 Menu: *PHP* → *Templates* → *String* → *String (strtolower → wordwrap) → strtolower*
 Keybinding: *none*
 PHP Function: *strtolower*

'php-template-strtoupper'
 Menu: *PHP* → *Templates* → *String* → *String (strtolower → wordwrap) → strtoupper*
 Keybinding: *none*
 PHP Function: *strtoupper*

'php-template-strtr'
 Menu: *PHP* → *Templates* → *String* → *String (strtolower → wordwrap) → strtr*
 Keybinding: *none*
 PHP Function: *strtr*

'php-template-substr-compare'
 Menu: *PHP* → *Templates* → *String* → *String (strtolower → wordwrap) → substr_compare*
 Keybinding: *none*
 PHP Function: *substr_compare*

'php-template-substr-count'
 Menu: *PHP* → *Templates* → *String* → *String (strtolower → wordwrap) → substr_count*
 Keybinding: *none*
 PHP Function: *substr_count*

'php-template-substr-replace'
 Menu: *PHP* → *Templates* → *String* → *String (strtolower → wordwrap) → substr_replace*

Keybinding: *none*
PHP Function: substr_replace

'php-template-substr'
 Menu: *PHP* → *Templates* → *String* → *String (strtolower → wordwrap) → substr*
 Keybinding: *none*
 PHP Function: substr

'php-template-trim'
 Menu: *PHP* → *Templates* → *String* → *String (strtolower → wordwrap) → trim*
 Keybinding: *none*
 PHP Function: trim

'php-template-ucfirst'
 Menu: *PHP* → *Templates* → *String* → *String (strtolower → wordwrap) → ucfirst*
 Keybinding: *none*
 PHP Function: ucfirst

'php-template-ucwords'
 Menu: *PHP* → *Templates* → *String* → *String (strtolower → wordwrap) → ucwords*
 Keybinding: *none*
 PHP Function: ucwords

'php-template-vfprintf'
 Menu: *PHP* → *Templates* → *String* → *String (strtolower → wordwrap) → vfprintf*
 Keybinding: *none*
 PHP Function: vfprintf

'php-template-vprintf'
 Menu: *PHP* → *Templates* → *String* → *String (strtolower → wordwrap) → vprintf*
 Keybinding: *none*
 PHP Function: vprintf

'php-template-vsprintf'
 Menu: *PHP* → *Templates* → *String* → *String (strtolower → wordwrap) → vsprintf*
 Keybinding: *none*
 PHP Function: vsprintf

'php-template-wordwrap'
 Menu: *PHP* → *Templates* → *String* → *String (strtolower → wordwrap) → wordwrap*
 Keybinding: *none*
 PHP Function: wordwrap

8.2.20 Variable

```
'php-template-debug-zval-dump'
    Menu: PHP → Templates → Variable → debug_zval_dump
    Keybinding: none
    PHP Function: debug_zval_dump

'php-template-doubleval'
    Menu: PHP → Templates → Variable → doubleval
    Keybinding: none
    PHP Function: doubleval

'php-template-empty'
    Menu: PHP → Templates → Variable → empty
    Keybinding: none
    PHP Function: empty

'php-template-floatval'
    Menu: PHP → Templates → Variable → floatval
    Keybinding: none
    PHP Function: floatval

'php-template-get-defined-vars'
    Menu: PHP → Templates → Variable → get_defined_vars
    Keybinding: none
    PHP Function: get_defined_vars

'php-template-get-resource-type'
    Menu: PHP → Templates → Variable → get_resource_type
    Keybinding: none
    PHP Function: get_resource_type

'php-template-gettype'
    Menu: PHP → Templates → Variable → gettype
    Keybinding: none
    PHP Function: gettype

'php-template-import-request-variables'
    Menu: PHP → Templates → Variable → import_request_variables
    Keybinding: none
    PHP Function: import_request_variables

'php-template-intval'
    Menu: PHP → Templates → Variable → intval
    Keybinding: none
    PHP Function: intval

'php-template-is-array'
    Menu: PHP → Templates → Variable → is_array
    Keybinding: none
    PHP Function: is_array
```

```
'php-template-is-bool'
    Menu: PHP → Templates → Variable → is_bool
    Keybinding: none
    PHP Function: is_bool

'php-template-is-callable'
    Menu: PHP → Templates → Variable → is_callable
    Keybinding: none
    PHP Function: is_callable

'php-template-is-double'
    Menu: PHP → Templates → Variable → is_double
    Keybinding: none
    PHP Function: is_double

'php-template-is-float'
    Menu: PHP → Templates → Variable → is_float
    Keybinding: none
    PHP Function: is_float

'php-template-is-int'
    Menu: PHP → Templates → Variable → is_int
    Keybinding: none
    PHP Function: is_int

'php-template-is-integer'
    Menu: PHP → Templates → Variable → is_integer
    Keybinding: none
    PHP Function: is_integer

'php-template-is-long'
    Menu: PHP → Templates → Variable → is_long
    Keybinding: none
    PHP Function: is_long

'php-template-is-null'
    Menu: PHP → Templates → Variable → is_null
    Keybinding: none
    PHP Function: is_null

'php-template-is-numeric'
    Menu: PHP → Templates → Variable → is_numeric
    Keybinding: none
    PHP Function: is_numeric

'php-template-is-object'
    Menu: PHP → Templates → Variable → is_object
    Keybinding: none
    PHP Function: is_object
```

```
'php-template-is-real'
    Menu: PHP → Templates → Variable → is_real
    Keybinding: none
    PHP Function: is_real

'php-template-is-resource'
    Menu: PHP → Templates → Variable → is_resource
    Keybinding: none
    PHP Function: is_resource

'php-template-is-scalar'
    Menu: PHP → Templates → Variable → is_scalar
    Keybinding: none
    PHP Function: is_scalar

'php-template-is-string'
    Menu: PHP → Templates → Variable → is_string
    Keybinding: none
    PHP Function: is_string

'php-template-isset'
    Menu: PHP → Templates → Variable → iset
    Keybinding: none
    PHP Function: iset

'php-template-print-r'
    Menu: PHP → Templates → Variable → print_r
    Keybinding: none
    PHP Function: print_r

'php-template-serialize'
    Menu: PHP → Templates → Variable → serialize
    Keybinding: none
    PHP Function: serialize

'php-template-settype'
    Menu: PHP → Templates → Variable → settype
    Keybinding: none
    PHP Function: settype

'php-template-strval'
    Menu: PHP → Templates → Variable → strval
    Keybinding: none
    PHP Function: strval

'php-template-unserialize'
    Menu: PHP → Templates → Variable → unserialize
    Keybinding: none
    PHP Function: unserialize
```

```
'php-template-unset'
  Menu: PHP -> Templates -> Variable -> unset
  Keybinding: none
  PHP Function: unset

'php-template-var-dump'
  Menu: PHP -> Templates -> Variable -> var_dump
  Keybinding: none
  PHP Function: var_dump

'php-template-var-export'
  Menu: PHP -> Templates -> Variable -> var_export
  Keybinding: none
  PHP Function: var_export
```

8.2.21 XML

```
'php-template-utf8-decode'
  Menu: PHP -> Templates -> XML -> XML (utf8_decode ->
  xml_set_notation_decl_handler) -> utf8_decode
  Keybinding: none
  PHP Function: utf8_decode

'php-template-utf8-encode'
  Menu: PHP -> Templates -> XML -> XML (utf8_decode ->
  xml_set_notation_decl_handler) -> utf8_encode
  Keybinding: none
  PHP Function: utf8_encode

'php-template-xml-error-string'
  Menu: PHP -> Templates -> XML -> XML (utf8_decode ->
  xml_set_notation_decl_handler) -> xml_error_string
  Keybinding: none
  PHP Function: xml_error_string

'php-template-xml-get-current-byte-index'
  Menu: PHP -> Templates -> XML -> XML (utf8_decode ->
  xml_set_notation_decl_handler) -> xml_get_current_byte_index
  Keybinding: none
  PHP Function: xml_get_current_byte_index

'php-template-xml-get-current-column-number'
  Menu: PHP -> Templates -> XML -> XML (utf8_decode ->
  xml_set_notation_decl_handler) -> xml_get_current_column_number
  Keybinding: none
  PHP Function: xml_get_current_column_number

'php-template-xml-get-current-line-number'
  Menu: PHP -> Templates -> XML -> XML (utf8_decode ->
  xml_set_notation_decl_handler) -> xml_get_current_line_number
```

Keybinding: *none*
PHP Function: `xml_get_current_line_number`

'php-template-xml-get-error-code'
Menu: *PHP* → *Templates* → *XML* → *XML* (*utf8_decode* → *xml_set_notation_decl_handler*) → *xml_get_error_code*
Keybinding: *none*
PHP Function: `xml_get_error_code`

'php-template-xml-parse-into-struct'
Menu: *PHP* → *Templates* → *XML* → *XML* (*utf8_decode* → *xml_set_notation_decl_handler*) → *xml_parse_into_struct*
Keybinding: *none*
PHP Function: `xml_parse_into_struct`

'php-template-xml-parse'
Menu: *PHP* → *Templates* → *XML* → *XML* (*utf8_decode* → *xml_set_notation_decl_handler*) → *xml_parse*
Keybinding: *none*
PHP Function: `xml_parse`

'php-template-xml-parser-create-ns'
Menu: *PHP* → *Templates* → *XML* → *XML* (*utf8_decode* → *xml_set_notation_decl_handler*) → *xml_parser_create_ns*
Keybinding: *none*
PHP Function: `xml_parser_create_ns`

'php-template-xml-parser-create'
Menu: *PHP* → *Templates* → *XML* → *XML* (*utf8_decode* → *xml_set_notation_decl_handler*) → *xml_parser_create*
Keybinding: *none*
PHP Function: `xml_parser_create`

'php-template-xml-parser-free'
Menu: *PHP* → *Templates* → *XML* → *XML* (*utf8_decode* → *xml_set_notation_decl_handler*) → *xml_parser_free*
Keybinding: *none*
PHP Function: `xml_parser_free`

'php-template-xml-parser-get-option'
Menu: *PHP* → *Templates* → *XML* → *XML* (*utf8_decode* → *xml_set_notation_decl_handler*) → *xml_parser_get_option*
Keybinding: *none*
PHP Function: `xml_parser_get_option`

'php-template-xml-parser-set-option'
Menu: *PHP* → *Templates* → *XML* → *XML* (*utf8_decode* → *xml_set_notation_decl_handler*) → *xml_parser_set_option*
Keybinding: *none*
PHP Function: `xml_parser_set_option`

```
'php-template-xml-set-character-data-handler'
    Menu: PHP → Templates → XML → XML (utf8_decode →
        xml_set_notation_decl_handler) → xml_set_character_data_handler
    Keybinding: none
    PHP Function: xml_set_character_data_handler

'php-template-xml-set-default-handler'
    Menu: PHP → Templates → XML → XML (utf8_decode →
        xml_set_notation_decl_handler) → xml_set_default_handler
    Keybinding: none
    PHP Function: xml_set_default_handler

'php-template-xml-set-element-handler'
    Menu: PHP → Templates → XML → XML (utf8_decode →
        xml_set_notation_decl_handler) → xml_set_element_handler
    Keybinding: none
    PHP Function: xml_set_element_handler

'php-template-xml-set-end-namespace-decl-handler'
    Menu: PHP → Templates → XML → XML (utf8_decode →
        xml_set_notation_decl_handler) → xml_set_end_namespace_decl_handler
    Keybinding: none
    PHP Function: xml_set_end_namespace_decl_handler

'php-template-xml-set-external-entity-ref-handler'
    Menu: PHP → Templates → XML → XML (utf8_decode →
        xml_set_notation_decl_handler) → xml_set_external_entity_ref_handler
    Keybinding: none
    PHP Function: xml_set_external_entity_ref_handler

'php-template-xml-set-notation-decl-handler'
    Menu: PHP → Templates → XML → XML (utf8_decode →
        xml_set_notation_decl_handler) → xml_set_notation_decl_handler
    Keybinding: none
    PHP Function: xml_set_notation_decl_handler

'php-template-xml-set-object'
    Menu: PHP → Templates → XML → XML (xml_set_object →
        xml_set_unparsed_entity_decl_handler) → xml_set_object
    Keybinding: none
    PHP Function: xml_set_object

'php-template-xml-set-processing-instruction-handler'
    Menu: PHP → Templates → XML → XML (xml_set_object →
        xml_set_unparsed_entity_decl_handler) → xml_set_processing_instruction_handler

    Keybinding: none
    PHP Function: xml_set_processing_instruction_handler

'php-template-xml-set-start-namespace-decl-handler'
    Menu: PHP → Templates → XML → XML (xml_set_object →
        xml_set_unparsed_entity_decl_handler) → xml_set_start_namespace_decl_handler
```

Keybinding: *none*

PHP Function: *xml_set_start_namespace_decl_handler*

'php-template-xml-set-unparsed-entity-decl-handler'
Menu: *PHP* → *Templates* → *XML* → *XML* (*xml_set_object* → *xml_set_unparsed_entity_decl_handler*) → *xml_set_unparsed_entity_decl_handler*

Keybinding: *none*

PHP Function: *xml_set_unparsed_entity_decl_handler*

8.2.22 Non-PHP Functions

'php-template-header'

Menu: *PHP* → *Templates* → *Insert Header*

Keybinding: *none*

Description: This function is used to insert a header in the current buffer.

'php-template-footer'

Menu: *PHP* → *Templates* → *Insert Footer*

Keybinding: *none*

Description: This function is used to insert a footer in the current buffer.

'php-template-insert-date'

Menu: *PHP* → *Templates* → *Insert Date*

Keybinding: *none*

Description: This function is used to insert the date in the current buffer.

'php-template-modify'

Menu: *PHP* → *Templates* → *Modify Date*

Keybinding: *none*

Description: This function is used to modify the last modification date in the current buffer.

9 Bugs, Help

- To report bugs: [Bugtracker](#)
- To obtain help you can post on the dedicated forum: [Forum](#)

Index

.		M	
.NET	14	Mail	53
A		Mathematical	53
Apache	14	Menu	4, 9
APC	16	Menu Index	9
Array Functions	17	Menu PHP	9
		Menu Sources	10
		Miscellaneous	7, 59
		Mode	4, 8
		MySQL	62
B		N	
Bugs	88	Non-PHP Functions	87
C		O	
Completion	11	Others	67
Control Structures	25		
Customization	9, 10, 11, 12, 13, 14	P	
		Paramters	4
D		PHPDocumentor	7
Date/Time Functions	27		
Directory Functions	29	R	
		Regular Expressions	68
E		S	
Error and Logging	30	Session	68
		String	70
F		Stuttering	13
File System	31	Style	7
Functions	7, 9, 10, 12, 13, 14, 40		
H		T	
Header	5	Templates	5, 14
Help	88		
I		V	
Image	41	Variable	81
Indentation	12		
		X	
		XML	84

Customizations variables Index

php-add-fclose-with-fopen	5	php-include-in-parenthesis	5
php-add-mysql-close-when-connect	5	php-indent-tabs-mode	4, 12
php-basic-offset	7, 12	php-index-menu	4, 9
php-class-tags	7	php-index-menu-auto-rescan	4, 9
php-compay-name	6	php-intelligent-tab	7, 11
php-copyright-string	6	php-modify-date-on-saving	6
php-date-format	6	php-modify-date-prefix-string	6
php-electric-mode	4, 14	php-source-file-menu	5, 10
php-enable-phpdocumentor-tags	7	php-stutter-mode	4, 13
php-file-footer	6	php-word-completion-case-sensitive	7, 11
php-file-header	5	php-word-completion-in-minibuffer	7, 11
php-function-tags	7		

Functions Index

I

indent-according-to-mode 12

P

php-add-source-files-menu 10
php-doc-mode 9
php-electric-mode 8
php-indent-buffer 12
php-indent-region 12
php-show-messages 9
php-stutter-mode 8
php-template-abs 53
php-template-acos 53
php-template-acosh 53
php-template-addcslashes 70
php-template-addslashes 70
php-template-apache-child-terminate 14
php-template-apache-get-modules 14
php-template-apache-get-version 14
php-template-apache-getenv 14
php-template-apache-lookup-uri 15
php-template-apache-note 15
php-template-apache-request-headers 15
php-template-apache-reset-timeout 15
php-template-apache-response-headers 15
php-template-apache-setenv 15
php-template-apc-cache-info 16
php-template-apc-clear-cache 16
php-template-apc-define-constants 16
php-template-apc-delete 16
php-template-apc-fetch 16
php-template-apc-load-constants 16
php-template-apc-sma-info 16
php-template-apc-store 16
php-template-array 22
php-template-array-change-key-case 17
php-template-array-chunk 17
php-template-array-combine 17
php-template-array-count-values 17
php-template-array-diff 17
php-template-array-diff-assoc 17
php-template-array-diff-key 17
php-template-array-diff-uassoc 17
php-template-array-diff-ukey 17
php-template-array-exists 19
php-template-array-fill 18
php-template-array-filter 18
php-template-array-flip 18
php-template-array-intersect 18
php-template-array-intersect-assoc 18
php-template-array-intersect-key 18
php-template-array-intersect-uassoc 18
php-template-array-intersect-ukey 18

php-template-array-keys 19
php-template-array-map 19
php-template-array-merge 19
php-template-array-merge-recursive 19
php-template-array-multisort 19
php-template-array-pad 19
php-template-array-pop 19
php-template-array-product 19
php-template-array-push 20
php-template-array-rand 20
php-template-array-reduce 20
php-template-array-reverse 20
php-template-array-search 20
php-template-array-shift 20
php-template-array-slice 20
php-template-array-splice 20
php-template-array-sum 21
php-template-array-udiff 21
php-template-array-udiff-assoc 21
php-template-array-udiff-uassoc 21
php-template-array-uintersect 21
php-template-array-uintersect-assoc 21
php-template-array-uintersect-uassoc 21
php-template-array-unique 21
php-template-array-unshift 21
php-template-array-values 22
php-template-array-walk 22
php-template-array-walk-recursive 22
php-template-arsort 22
php-template-ascii2ebcdic 15
php-template-asin 53
php-template-asinh 53
php-template-asort 22
php-template-atan 53
php-template-atan2 53
php-template-atanh 54
php-template-base-convert 54
php-template-basename 31
php-template-bin2hex 71
php-template-bindec 54
php-template-break 25
php-template-call-user-func 40
php-template-call-user-func-array 40
php-template-ceil 54
php-template-chdir 29
php-template-checkdate 27
php-template-chgrp 31
php-template-chmod 31
php-template-chop 71
php-template-chown 31
php-template-chr 71
php-template-chroot 29
php-template-chunk-split 71
php-template-class 67
php-template-clearstatcache 31

php-template-closedir	29	php-template-exp	55
php-template-compact	22	php-template-explode	72
php-template-connection-aborted	59	php-template-expm1	55
php-template-connection-status	59	php-template-extract	23
php-template-connection-timeout	59	php-template-ezmlm-hash	53
php-template-constant	59	php-template-fclose	32
php-template-continue	25	php-template-feof	32
php-template-convert-cyr-string	71	php-template-fflush	32
php-template-convert-uudecode	71	php-template-fgetc	32
php-template-convert-uuencode	71	php-template-fgetcsv	32
php-template-copy	31	php-template-fgets	33
php-template-cos	54	php-template-fgetss	33
php-template-cosh	54	php-template-file	33
php-template-count	22	php-template-file-exists	33
php-template-count-chars	71	php-template-file-get-contents	33
php-template-crc32	71	php-template-file-put-contents	33
php-template-create-function	40	php-template-fileatime	33
php-template-crypt	72	php-template-filectime	33
php-template-current	23	php-template-filegroup	34
php-template-date	27	php-template-fileinode	34
php-template-date-default-timezone-get ...	27	php-template-filemtime	34
php-template-date-default-timezone-set ...	27	php-template-fileowner	34
php-template-date-sunrise	27	php-template-fileperms	34
php-template-date-sunset	27	php-template-f filesize	34
php-template-debug-backtrace	30	php-template-f filetype	34
php-template-debug-print-backtrace	30	php-template-floatval	81
php-template-debug-zval-dump	81	php-template-flock	34
php-template-decbin	54	php-template-floor	55
php-template-dechex	54	php-template-fmod	55
php-template-decoct	55	php-template-fnmatch	34
php-template-define	59	php-template-footer	87
php-template-defined	59	php-template-fopen	35
php-template-deg2rad	55	php-template-for	26
php-template-delete	31	php-template-foreach	26
php-template-die	59	php-template-fpassthru	35
php-template-dir	29	php-template-fprintf	72
php-template dirname	32	php-template-fputcsv	35
php-template-disk-free-space	32	php-template-fread	35
php-template-disk-total-space	32	php-template-fseek	35
php-template-diskfreespace	32	php-template-fstat	35
php-template-do-while	25	php-template-ftell	35
php-template-dotnet-load	14	php-template-ftruncate	36
php-template-doubleeval	81	php-template-func-get-arg	40
php-template-each	23	php-template-func-get-args	40
php-template-ebcdic2ascii	15	php-template-func-num-args	40
php-template-echo	72	php-template-function	67
php-template-else	26	php-template-function-exists	40
php-template-elseif	26	php-template-fwrite	35
php-template-empty	81	php-template-fwrite	36
php-template-end	23	php-template-gd-info	41
php-template-ereg	68	php-template-get-browser	60
php-template-ereg-replace	68	php-template-get-defined-functions	40
php-template-eregi	68	php-template-get-defined-vars	81
php-template-eregi-replace	68	php-template-get-html-translation-table ..	72
php-template-error-log	30	php-template-get-resource-type	81
php-template-error-reporting	30	php-template-getallheaders	15
php-template-eval	59	php-template-getcwd	29
php-template-exit	59	php-template-getdate	27

php-template-getimagesize	41	php-template-imagecreatefromjpeg	45
php-template-getrandmax	55	php-template-imagecreatefrompng	45
php-template-gettimeofday	28	php-template-imagecreatefromstring	45
php-template-gettype	81	php-template-imagecreatefromwbmp	45
php-template-glob	36	php-template-imagecreatefromxbm	45
php-template-gmdate	28	php-template-imagecreatefromxpm	46
php-template-gmmktime	28	php-template-imagecreatetruecolor	46
php-template-gmstrftime	28	php-template-imagedashedline	46
php-template-halt-compiler	60	php-template-imagedestroy	46
php-template-header	87	php-template-imageellipse	46
php-template-hebrev	72	php-template-imagefill	46
php-template-hebrevc	72	php-template-imagefilledarc	46
php-template-hexdec	55	php-template-imagefilledellipse	46
php-template-highlight-file	60	php-template-imagefilledpolygon	47
php-template-highlight-string	60	php-template-imagefilledrectangle	47
php-template-html-entity-decode	72	php-template-imagefilltoborder	47
php-template-htmlentities	73	php-template-imagefilter	47
php-template-htmlspecialchars	73	php-template-imagefontheight	47
php-template-htmlspecialchars-decode	73	php-template-imagefontwidth	47
php-template-hypot	55	php-template-imageftbbox	47
php-template-ideate	28	php-template-imagefttext	47
php-template-if	26	php-template-imagegammacorrect	47
php-template-ignore-user-abort	60	php-template-imagegd	48
php-template-image-type-to-extension	41	php-template-imagegd2	48
php-template-image-type-to-mime-type	41	php-template-imagegif	48
php-template-image2wbmp	41	php-template-imageinterlace	48
php-template-imagealphablending	41	php-template-imageistruecolor	48
php-template-imageantialias	41	php-template-imagejpeg	48
php-template-imagearc	41	php-template-imagelayereffect	48
php-template-imagechar	42	php-template-imageline	48
php-template-imagecharup	42	php-template-imageloadfont	49
php-template-imagecolorallocate	42	php-template-imagepalettetcopy	49
php-template-imagecolorallocatealpha	42	php-template-imagepng	49
php-template-imagecolorat	42	php-template-imagepolygon	49
php-template-imagecolorclosest	42	php-template-imagepsbbox	49
php-template-imagecolorclosestalpha	42	php-template-imagepsencodefont	49
php-template-imagecolorclosestthwb	42	php-template-imagepsextendfont	49
php-template-imagecolordeallocate	43	php-template-imagepsfreefont	49
php-template-imagecolorexact	43	php-template-imagepsloadfont	49
php-template-imagecolorexactalpha	43	php-template-imagepsslantfont	50
php-template-imagecolormatch	43	php-template-imagepstext	50
php-template-imagecolorresolve	43	php-template-imagerectangle	50
php-template-imagecolorreslovealpha	43	php-template-imagerotate	50
php-template-imagecolorset	43	php-template-imagesavealpha	50
php-template-imagecolorsforindex	43	php-template-imagesetbrush	50
php-template-imagecolorstotal	43	php-template-imagesetpixel	50
php-template-imagecolortransparent	44	php-template-imagesetstyle	50
php-template-imageconvolution	44	php-template-imagesetthickness	51
php-template-imagecopy	44	php-template-imagesettile	51
php-template-imagecopymerge	44	php-template-imagecstring	51
php-template-imagecopymergegray	44	php-template-imagecstringup	51
php-template-imagecopyresampled	44	php-template-imagesx	51
php-template-imagecopyresized	44	php-template-imagesy	51
php-template-imagecreate	44	php-template-imagetrcolorpalette	51
php-template-imagecreatefromgd	45	php-template-imagetffbbox	51
php-template-imagecreatefromgd2	45	php-template-imagetfftext	51
php-template-imagecreatefromgd2part	45	php-template-imagetypes	52
php-template-imagecreatefromgif	45	php-template-imagegbmp	52

php-template-imagexbm	52	php-template-microtime	28
php-template-implode	73	php-template-min	57
php-template-import-request-variables	81	php-template-mkdir	37
php-template-in-array	23	php-template-mktime	28
php-template-include	26	php-template-modify	87
php-template-include-once	26	php-template-money-format	74
php-template-insert-date	87	php-template-move-uploaded-file	37
php-template-intval	81	php-template-mt-getrandmax	57
php-template-iptcembed	52	php-template-mt-rand	57
php-template-iptcparse	52	php-template-mt-srand	57
php-template-is-array	81	php-template-mysql-affected-rows	62
php-template-is-bool	81	php-template-mysql-change-user	62
php-template-is-callable	82	php-template-mysql-client-encoding	62
php-template-is-dir	36	php-template-mysql-close	62
php-template-is-double	82	php-template-mysql-connect	62
php-template-is-executable	36	php-template-mysql-create-db	62
php-template-is-file	36	php-template-mysql-data-seek	62
php-template-is-finite	56	php-template-mysql-db-name	62
php-template-is-float	82	php-template-mysql-db-query	62
php-template-is-infinite	56	php-template-mysql-drop-db	63
php-template-is-int	82	php-template-mysql-errno	63
php-template-is-integer	82	php-template-mysql-error	63
php-template-is-link	36	php-template-mysql-escape-string	63
php-template-is-long	82	php-template-mysql-fetch-array	63
php-template-is-nan	56	php-template-mysql-fetch-assoc	63
php-template-is-null	82	php-template-mysql-fetch-field	63
php-template-is-numeric	82	php-template-mysql-fetch-lengths	63
php-template-is-object	82	php-template-mysql-fetch-object	64
php-template-is-readable	36	php-template-mysql-fetch-row	64
php-template-is-real	82	php-template-mysql-field-flags	64
php-template-is-resource	83	php-template-mysql-field-len	64
php-template-is-scalar	83	php-template-mysql-field-name	64
php-template-is-string	83	php-template-mysql-field-seek	64
php-template-is-uploaded-file	36	php-template-mysql-field-table	64
php-template-is-writable	37	php-template-mysql-field-type	64
php-template-isset	83	php-template-mysql-free-result	64
php-template-join	73	php-template-mysql-get-client-info	65
php-template-jpeg2wbmp	52	php-template-mysql-get-host-info	65
php-template-key	23	php-template-mysql-get-proto-info	65
php-template-krsort	23	php-template-mysql-get-server-info	65
php-template-ksort	23	php-template-mysql-info	65
php-template-lcg-value	56	php-template-mysql-insert-id	65
php-template-levenshtein	73	php-template-mysql-list-dbs	65
php-template-link	37	php-template-mysql-list-fields	65
php-template-linkinfo	37	php-template-mysql-list-processes	66
php-template-list	23	php-template-mysql-list-tables	66
php-template-localeconv	73	php-template-mysql-num-fields	66
php-template-localtime	28	php-template-mysql-num-rows	66
php-template-log	56	php-template-mysql-pconnect	66
php-template-log10	56	php-template-mysql-ping	66
php-template-log1p	56	php-template-mysql-query	66
php-template-lstat	37	php-template-mysql-real-escape-string	66
php-template-ltrim	73	php-template-mysql-result	66
php-template-mail	53	php-template-mysql-select-db	67
php-template-max	56	php-template-mysql-stat	67
php-template-md5	74	php-template-mysql-tablename	67
php-template-md5-file	73	php-template-mysql-thread-id	67
php-template-metaphone	74	php-template-mysql-unbuffered-query	67

php-template-natcasesort	24	php-template-session-id	69
php-template-natsort	24	php-template-session-is-registered	69
php-template-next	24	php-template-session-module-name	69
php-template-nl-langinfo	74	php-template-session-name	69
php-template-nl2br	74	php-template-session-regenerate-id	69
php-template-number-format	74	php-template-session-register	69
php-template-octdec	57	php-template-session-save-path	70
php-template-opendir	29	php-template-session-set-cookie-params	70
php-template-ord	74	php-template-session-set-save-handler	70
php-template-pack	60	php-template-session-start	70
php-template-parse-ini-file	37	php-template-session-unregister	70
php-template-parse-str	74	php-template-session-unset	70
php-template-pathinfo	38	php-template-session-write-close	70
php-template-pclose	38	php-template-set-error-handler	30
php-template-php-check-syntax	60	php-template-set-exception-handler	30
php-template-php-strip-whitespace	60	php-template-setlocale	75
php-template-pi	57	php-template-settype	83
php-template-png2wbmp	52	php-template-sha1	75
php-template-popen	38	php-template-sha1-file	75
php-template-pos	24	php-template-show-source	61
php-template-pow	57	php-template-shuffle	25
php-template-prev	24	php-template-similar-text	75
php-template-print	75	php-template-sin	58
php-template-print-r	83	php-template-sinh	58
php-template-printf	75	php-template-sizeof	25
php-template-quoted-printable-decode	75	php-template-sleep	61
php-template-quotemeta	75	php-template-sort	25
php-template-rad2deg	57	php-template-soundex	75
php-template-rand	57	php-template-split	68
php-template-range	24	php-template-spliti	68
php-template-readdir	29	php-template-sprintf	76
php-template-readfile	38	php-template-sql-regcase	68
php-template-readlink	38	php-template-sqrt	58
php-template.realpath	38	php-template-srand	58
php-template-register-shutdown-function ..	40	php-template-sscanf	76
php-template-register-tick-function ..	40	php-template-stat	39
php-template-rename	38	php-template-str-ireplace	76
php-template-require	26	php-template-str-pad	76
php-template-require-once	26	php-template-str-repeat	76
php-template-reset	24	php-template-str-replace	76
php-template-restore-error-handler	30	php-template-str-rot13	76
php-template-restore-exception-handler	30	php-template-str-shuffle	76
php-template-return	26	php-template-str-split	76
php-template-rewind	38	php-template-str-word-count	76
php-template-rewinddir	29	php-template-strcasecmp	77
php-template-rmdir	38	php-template-strchr	77
php-template-round	58	php-template-strcmp	77
php-template-rsort	24	php-template-strcoll	77
php-template-rtrim	75	php-template-strcspn	77
php-template-scandir	30	php-template-strftime	28
php-template-serialize	83	php-template-strip-tags	77
php-template-session-cache-expire	68	php-template-stripcslashes	77
php-template-session-cache-limiter	68	php-template-stripos	77
php-template-session-commit	68	php-template-stripslashes	77
php-template-session-decode	69	php-template-stristr	77
php-template-session-destroy	69	php-template-strlen	77
php-template-session-encode	69	php-template-strnatcasecmp	78
php-template-session-get-cookie-params ..	69	php-template-strnatcmp	78

php-template-strcasecmp	78	php-template-user-error	31
php-template-strncmp	78	php-template-usleep	61
php-template-strpbrk	78	php-template-usort	25
php-template-strpos	78	php-template-utf8-decode	84
php-template-strptime	28	php-template-utf8-encode	84
php-template-strrchr	78	php-template-var-dump	84
php-template-strrev	78	php-template-var-export	84
php-template-strripos	78	php-template-vfprintf	80
php-template-strrpos	78	php-template-virtual	15
php-template-strrspn	79	php-template-vprintf	80
php-template-strrstr	79	php-template-vsprintf	80
php-template-strtok	79	php-template-while	27
php-template-strtolower	79	php-template-wordwrap	80
php-template-strtotime	29	php-template-xml-error-string	84
php-template-strtoupper	79	php-template-xml-get-current-byte-index ..	84
php-template-strtr	79	php-template-xml-get-current-column-number ..	84
php-template-strval	83	php-template-xml-get-current-line-number ..	84
php-template-substr	80	php-template-xml-get-error-code	85
php-template-substr-compare	79	php-template-xml-parse	85
php-template-substr-count	79	php-template-xml-parse-into-struct	85
php-template-substr-replace	79	php-template-xml-parser-create	85
php-template-switch	27	php-template-xml-parser-create-ns	85
php-template-symlink	39	php-template-xml-parser-free	85
php-template-sys-getloadavg	61	php-template-xml-parser-get-option	85
php-template-tan	58	php-template-xml-parser-set-option	85
php-template-tanh	58	php-template-xml-set-character-data-handler ..	85
php-template-tempnam	39	php-template-xml-set-default-handler	86
php-template-time	29	php-template-xml-set-element-handler	86
php-template-time-nanosleep	61	php-template-xml-set-end-namespace-decl-	
php-template-time-sleep-until	61	handler	86
php-template-tmpfile	39	php-template-xml-set-external-entity-ref-	
php-template-touch	39	handler	86
php-template-trigger-error	30	php-template-xml-set-notation-decl-handler ..	86
php-template-trim	80	php-template-xml-set-object	86
php-template-uasort	25	php-template-xml-set-processing-	
php-template-ucfirst	80	instruction-handler	86
php-template-ucwords	80	php-template-xml-set-start-namespace-decl-	
php-template-uksort	25	handler	86
php-template-umask	39	php-template-xml-set-unparsed-entity-decl-	
php-template-uniqid	61	handler	87
php-template-unlink	39	php-version	9
php-template-unpack	61		
php-template-unregister-tick-function	40		
php-template-unserialize	83		
php-template-unset	83		

Stuttering Index

(;	13
(.....	13	
)	}	13
)	}	13
*	E	
*	ENTER	13
;	S	
;	SPACE	13

PHP Index

-	
_halt_compiler	60
A	
abs	53
acos	53
acosh	53
addcslashes	70
addslashes	70
apache_child_terminate	14
apache_get_modules	14
apache_get_version	14
apache_getenv	14
apache_lookup_uri	15
apache_note	15
apache_request_headers	15
apache_reset_timeout	15
apache_response_headers	15
apache_setenv	15
apc_cache_info	16
apc_clear_cache	16
apc_define_constants	16
apc_delete	16
apc_fetch	16
apc_load_constants	16
apc_sma_info	16
apc_store	16
array	22
array_change_key_case	17
array_chunk	17
array_combine	17
array_count_values	17
array_diff	17
array_diff_assoc	17
array_diff_key	17
array_diff_uassoc	17
array_diff_ukey	17
array_fill	18
array_filter	18
array_flip	18
array_intersect	18
array_intersect_assoc	18
array_intersect_key	18
array_intersect_uassoc	18
array_intersect_ukey	18
array_key_exists	19
array_keys	19
array_map	19
array_merge	19
array_merge_recursive	19
array_multisort	19
array_pad	19
array_pop	19

array_product	19
array_push	20
array_rand	20
array_reduce	20
array_reverse	20
array_search	20
array_shift	20
array_slice	20
array_splice	20
array_sum	21
array_udiff	21
array_udiff_assoc	21
array_udiff_uassoc	21
array_uintersect	21
array_uintersect_assoc	21
array_uintersect_uassoc	21
array_unique	21
array_unshift	21
array_values	22
array_walk	22
array_walk_recursive	22
arsort	22
ascii2ebcdic	15
asin	53
asinh	53
asort	22
atan	53
atan2	53
atanh	54

B

base_convert	54
basename	31
bin2hex	71
bindec	54
break	25

C

call_user_func	40
call_user_func_array	40
ceil	54
chdir	29
checkdate	27
chgrp	31
chmod	31
chop	71
chown	31
chr	71
chroot	29
chunk_split	71
class	67
clearstatcache	31
closedir	29

compact	22
connection_aborted	59
connection_status	59
connection_timeout	59
constant	59
continue	25
convert_cyr_string	71
convert_uudecode	71
convert_uuencode	71
copy	31
cos	54
cosh	54
count	22
count_chars	71
crc32	71
create_function	40
crypt	72
current	23

D

date	27
date_default_timezone_get	27
date_default_timezone_set	27
date_sunrise	27
date_sunset	27
debug_backtrace	30
debug_print_backtrace	30
debug_zval_dump	81
decbin	54
dechex	54
decoct	55
define	59
defined	59
deg2rad	55
delete	31
die	59
dir	29
dirname	32
disk_free_space	32
disk_total_space	32
diskfreespace	32
do-while	25
dotnet_load	14
doubleeval	81

E

each	23
ebcdic2ascii	15
echo	72
else	26
elseif	26
empty	81
end	23
ereg	68
ereg_replace	68
eregi	68

eregi_replace	68
error_log	30
error_reporting	30
eval	59
exit	59
exp	55
explode	72
expm1	55
extract	23
ezmlm_hash	53

F

fclose	32
feof	32
fflush	32
fgetc	32
fgetcsv	32
fgets	33
fgetss	33
file	33
file_exists	33
file_get_contents	33
file_put_contents	33
fileatime	33
filectime	33
filegroup	34
fileinode	34
filemtime	34
fileowner	34
fileperms	34
filesize	34
filetype	34
floatval	81
flock	34
floor	55
fmod	55
fnmatch	34
fopen	35
for	26
foreach	26
fpassthru	35
fprintf	72
fputcsv	35
fputs	35
fread	35
fseek	35
fstat	35
ftell	35
ftruncate	36
func_get_arg	40
func_get_args	40
func_num_args	40
function	67
function_exists	40
fwrite	36

G

gd_info	41
get_browser	60
get_defined_functions	40
get_defined_vars	81
get_html_translation_table	72
get_resource_type	81
getallheaders	15
getcwd	29
getdate	27
getimagesize	41
getrandmax	55
gettimeofday	28
gettype	81
glob	36
gmdate	28
gmmktime	28
gmstrftime	28

H

hebrev	72
hebrevc	72
hexdec	55
highlight_file	60
highlight_string	60
html_entity_decode	72
htmlentities	73
htmlspecialchars	73
htmlspecialchars_decode	73
hypot	55

I

ideate	28
if	26
ignore_user_abort	60
image_type_to_extension	41
image_type_to_mime_type	41
image2wbmp	41
imagealphablending	41
imageantialias	41
imagearc	41
imagechar	42
imagecharup	42
imagecolorallocate	42
imagecolorallocatealpha	42
imagecolorat	42
imagecolorclosest	42
imagecolorclosestalpha	42
imagecolorclosesethwb	42
imagecolordeallocate	43
imagecolorexact	43
imagecolorexactalpha	43
imagecolormatch	43
imagecolorresolve	43
imagecolorreslovealpha	43
imagecolorset	43

imagecolorsforindex	43
imagecolorstotal	43
imagecolortransparent	44
imageconvolution	44
imagecopy	44
imagecopymerge	44
imagecopymergegray	44
imagecopyresampled	44
imagecopyresized	44
imagecreate	44
imagecreatefromgd	45
imagecreatefromgd2	45
imagecreatefromgd2part	45
imagecreatefromgif	45
imagecreatefromjpeg	45
imagecreatefrompng	45
imagecreatefromstring	45
imagecreatefromwbmp	45
imagecreatefromxbm	45
imagecreatefromxpm	46
imagecreatetruecolor	46
imagedashedline	46
imagedestroy	46
imageellipse	46
imagefill	46
imagefilledarc	46
imagefilledellipse	46
imagefilledpolygon	47
imagefilledrectangle	47
imagefilltoborder	47
imagefilter	47
imagefontheight	47
imagefontwidth	47
imageftbbox	47
imagefttext	47
imagegammacorrect	47
imagegd	48
imagegd2	48
imagegif	48
imageinterlace	48
imageistruecolor	48
imagejpeg	48
imagelayereffect	48
imageline	48
imageLoadFont	49
imagepalettcopy	49
imagepng	49
imagepolygon	49
imagepsbbox	49
imagepsencodefont	49
imagepsextendfont	49
imagepsfreefont	49
imagepsloadfont	49
imagepslantfont	50
imagepstext	50
imagerectangle	50
imagerotate	50
imagesavealpha	50

imagesetbrush	50
imagesetpixel	50
imagesetstyle	50
imagesetthickness	51
imagesettile	51
imagestring	51
imagestringup	51
imagesx	51
imagesy	51
imagetruecolortopalette	51
imagettfbbox	51
imagetftext	51
imagetypes	52
imagewbmp	52
imagexbm	52
implode	73
import_request_variables	81
in_array	23
include	26
include_once	26
intval	81
iptcembed	52
iptcparse	52
is_array	81
is_bool	81
is_callable	82
is_dir	36
is_double	82
is_executable	36
is_file	36
is_finite	56
is_float	82
is_infinite	56
is_int	82
is_integer	82
is_link	36
is_long	82
is_nan	56
is_null	82
is_numeric	82
is_object	82
is_readable	36
is_real	82
is_resource	83
is_scalar	83
is_string	83
is_uploaded_file	36
is_writable	37
is_writeable	37
isset	83

J

join	73
jpeg2wbmp	52

K

key	23
krsort	23
ksort	23

L

lcg_value	56
levenshtein	73
link	37
linkinfo	37
list	23
localeconv	73
localtime	28
log	56
log10	56
log1p	56
lstat	37
ltrim	73

M

mail	53
max	56
md5	74
md5_file	73
metaphone	74
microtime	28
min	57
mkdir	37
mktimes	28
money_format	74
move_uploaded_file	37
mt_getrandmax	57
mt_rand	57
mt_srand	57
mysql_affected_rows	62
mysql_change_user	62
mysql_client_encoding	62
mysql_close	62
mysql_connect	62
mysql_create_db	62
mysql_data_seek	62
mysql_db_name	62
mysql_db_query	62
mysql_drop_db	63
mysql_errno	63
mysql_error	63
mysql_escape_string	63
mysql_fetch_array	63
mysql_fetch_assoc	63
mysql_fetch_field	63
mysql_fetch_lengths	63
mysql_fetch_object	64
mysql_fetch_row	64
mysql_field_flags	64
mysql_field_len	64
mysql_field_name	64

mysql_field_seek	64
mysql_field_table	64
mysql_field_type	64
mysql_free_result	64
mysql_get_client_info	65
mysql_get_host_info	65
mysql_get_proto_info	65
mysql_get_server_info	65
mysql_info	65
mysql_insert_id	65
mysql_list_dbs	65
mysql_list_fields	65
mysql_list_processes	66
mysql_list_tables	66
mysql_num_fields	66
mysql_num_rows	66
mysql_pconnect	66
mysql_ping	66
mysql_query	66
mysql_real_escape_string	66
mysql_result	66
mysql_select_db	67
mysql_stat	67
mysql_tablename	67
mysql_thread_id	67
mysql_unbuffered_query	67

N

natcasesort	24
natsort	24
next	24
nl_langinfo	74
nl2br	74
number_format	74

O

octdec	57
opendir	29
ord	74

P

pack	60
parse_ini_file	37
parse_str	74
pathinfo	38
pclose	38
php_check_syntax	60
php_strip_whitespace	60
pi	57
png2wbmp	52
popen	38
pos	24
pow	57
prev	24
print	75

print_r	83
printf	75

Q

quoted_printable_decode	75
quotemeta	75

R

rad2deg	57
rand	57
range	24
readdir	29
readfile	38
readlink	38
realpath	38
register_shutdown_function	40
register_tick_function	40
rename	38
require	26
require_once	26
reset	24
restore_error_handler	30
restore_exception_handler	30
return	26
rewind	38
rewinddir	29
rmdir	38
round	58
rsort	24
rtrim	75

S

scandir	30
serialize	83
session_cache_expire	68
session_cache_limiter	68
session_commit	68
session_decode	69
session_destroy	69
session_encode	69
session_get_cookie_params	69
session_id	69
session_is_registered	69
session_module_name	69
session_name	69
session_regenerate_id	69
session_register	69
session_save_path	70
session_set_cookie_params	70
session_set_save_handler	70
session_start	70
session_unregister	70
session_unset	70
session_write_close	70
set_error_handler	30

set_exception_handler	30	strtoupper	79
setlocale	75	strtr	79
settype	83	strval	83
sha1	75	substr	80
sha1_file	75	substr_compare	79
show_source	61	substr_count	79
shuffle	25	substr_replace	79
similar_text	75	switch	27
sin	58	symlink	39
sinh	58	sys_getloadavg	61
sizeof	25		
sleep	61		
sort	25		
soundex	75		
split	68		
spliti	68		
sprintf	76		
sql_regcase	68		
sqrt	58		
srand	58		
sscanf	76		
stat	39		
str_ireplace	76		
str_pad	76		
str_repeat	76		
str_replace	76		
str_rot13	76		
str_shuffle	76		
str_split	76		
str_word_count	76		
strcasecmp	77		
strchr	77		
strcmp	77		
strcoll	77		
strcspn	77		
strftime	28		
strip_tags	77		
stripcslashes	77		
stripos	77		
stripslashes	77		
stristr	77		
strlen	77		
strnatcasecmp	78		
strnatcmp	78		
strncasecmp	78		
strncmp	78		
strpbrk	78		
strpos	78	var_dump	84
strptime	28	var_export	84
strrchr	78	vfprintf	80
strrev	78	virtual	15
stripos	78	vprintf	80
strrpos	78	vsprintf	80
strspn	79		
strstr	79		
strtok	79		
strtolower	79		
strtotime	29		
		while	27
		wordwrap	80

X

xml_error_string	84	xml_parser_get_option	85
xml_get_current_byte_index	84	xml_parser_set_option	85
xml_get_current_column_number	84	xml_set_character_data_handler	85
xml_get_current_line_number	84	xml_set_default_handler	86
xml_get_error_code	85	xml_set_element_handler	86
xml_parse	85	xml_set_end_namespace_decl_handler	86
xml_parse_into_struct	85	xml_set_external_entity_ref_handler	86
xml_parser_create	85	xml_set_notation_decl_handler	86
xml_parser_create_ns	85	xml_set_object	86
xml_parser_free	85	xml_set_processing_instruction_handler	86
		xml_set_start_namespace_decl_handler	86
		xml_set_unparsed_entity_decl_handler	87

Short Contents

1	Introduction	1
2	Installation	2
3	Customization	4
4	Menus	9
5	Completion	11
6	Indentation	12
7	Stuttering	13
8	Templates	14
9	Bugs, Help	88
	Index	89
	Customizations variables Index	90
	Functions Index	91
	Stuttering Index	97
	PHP Index	98

Table of Contents

1	Introduction	1
2	Installation	2
2.1	Requirements	2
2.2	Download	2
2.3	Installation	2
2.3.1	Installation	2
2.3.2	Update	2
2.4	Invoke PHP-Mode	3
3	Customization	4
3.1	Parameters	4
3.1.1	Mode	4
3.1.2	Menu	4
3.1.3	Templates	5
3.1.3.1	Header	5
3.1.4	Style	6
3.1.5	PHPDocumentor	7
3.1.6	Miscellaneous	7
3.2	Functions	7
3.2.1	Mode	7
4	Menus	9
4.1	PHP	9
4.1.1	Functions	9
4.2	Index	9
4.2.1	Customization	9
4.3	Sources	10
4.3.1	Customization	10
4.3.2	Functions	10
5	Completion	11
5.1	Customization	11
6	Indentation	12
6.1	Customization	12
6.2	Functions	12
7	Stuttering	13
7.1	Customization	13
7.2	Functions	13

8 Templates	14
8.1 Customization	14
8.2 Functions	14
8.2.1 .NET	14
8.2.2 Apache	14
8.2.3 APC	16
8.2.4 Array Functions	16
8.2.5 Control Structures	25
8.2.6 Date/Time Functions	27
8.2.7 Directory Functions	29
8.2.8 Error and Logging	30
8.2.9 File System	31
8.2.10 Functions	39
8.2.11 Image	41
8.2.12 Mail	52
8.2.13 Mathematical	53
8.2.14 Miscellaneous	58
8.2.15 MySQL	61
8.2.16 Others	67
8.2.17 Regular Expressions	67
8.2.18 Session	68
8.2.19 String	70
8.2.20 Variable	80
8.2.21 XML	84
8.2.22 Non-PHP Functions	87
9 Bugs, Help	88
Index	89
Customizations variables Index	90
Functions Index	91
Stuttering Index	97
PHP Index	98